

Checklist of Fishes of Andaman and Nicobar Islands, Bay of Bengal

D. V. RAO

*Zoological Survey of India, Hilltop, Gopalpur-On-Sea (GM)
 Orissa 761002, India
 E-mail : drraadv@gmail.com*

Abstract

Fish constitutes one of the most important marine food resources of the Andaman and Nicobar Islands and authentic information on the fish diversity of this region is vital for planning sustainable utilization of suitable fish resources. Several significant taxonomic studies have been made on the fish fauna of the Andaman and Nicobar Islands during the last several decades. In recent times large number of new species and new records of fishes have been added to the list by many ichthyologists. In several cases one and the same species is found cited by various names in different publications. An analysis has been made and a comprehensive revised checklist containing 1,371 species under 586 genera belonging to 175 families so far recorded from Andaman and Nicobar Islands is presented here by compiling all the published records and materials studied by the author in this area.

Key words : Checklist, Fishes, Andaman and Nicobar Islands.

The Andaman and Nicobar Islands comprise more than 500 islands and rocky outcrops, situated in the Bay of Bengal with the Andaman Sea on its eastern side. They lie between 6°45' N and 13°41' N lat. and 92°12' E and 93° 57' E long. On a ridge extending from Arakan Yoma in Myanmar to the Achin head in Sumatra. In fact, the islands are emergent peaks of mountain chain. The continental slope is steep around the Islands. The total coastline is about 1,962 km which is about one-fourth of the total coastline of India. The shelf region around the islands supports extensive fringing reefs in addition to vast sandy beaches, rocky shores and extensive mangrove belts around the coasts. The marine environment with a variety of habitats harbors a rich variety of fish fauna. There are no rivers in the islands except few small rivers and rain fed streams. Their freshwater fish fauna is very poor, represented only by few species.

Fish constitutes one of the most important marine food resources of the Andaman and Nicobar Islands. Authentic information on the fish fauna of this region is essential for planning of proper fisheries developmental programs and sustainable utilization of suitable fish resources for economic growth.

(The author is grateful to Dr Ramakrishna, Director, Zoological Survey of India for encouragement

and facilities to carry out this work. I am also grateful to Dr D. R. K. Sastry, Ex-Officer-in-Charge, ZSI, Port Blair for support and guidance. Appreciation to Smt Kamla Devi, Sr. Zool. Asstt., ZSI, Port Blair for various courtesies).

Several significant taxonomic studies have been made on the fish fauna of A & N Islands in the past (1—11). All the volumes of fishes by Weber and De Beaufort (12), De Beaufort (13) and De Beaufort and Chapman (14) are notable for taxonomic and distributional records of fishes of A & N Islands. Herre (15) made an extensive study around Andaman Islands and for the first time listed about 490 species of fishes. Subsequently several new species and new records of fishes have been added to the list by many ichthyologists like Kalausewitz and Eild-Eibesfeld (16), Kalausewitz (17), Jones et al. (18), Silas and Dawson (19); Silas and Toor (20), Yazdani (21), Luther (22), Rangarajan (23, 24), Menon and Rama Rao (25), Menon and Talwar (26, 27), Sen (28), Menon and Chatterjee (29, 30), Eschmeyer and Dor (31), Talwar et al. (32), Mehta et al. (33), Mehta and Kamla Devi (34), Mehta et al. (35). Talwar (36) prepared a comprehensive list of fishes with 724 species known to inhabit the freshwater, mangroves and marine ecosystems of these islands, followed by a supplementary list by Kamla Devi (37) containing 71 species of fish.

Extensive taxonomic studies made in recent years by Kamla Devi and Rajan (38), Misra and Krishnan (39), Krishnan and Misra (40), Rao et al. (41, 42), Dhandapani and Misra (43), Rajan et al. (44—49), Kamla Devi et al. (50, 51), Kamla Devi and Rao (52—55), Rao et al. (56—61), Rao (62, 63), Rao and Kamla Devi (64—68), Soundararajan and Dam Roy (69), Rema Devi et al. (70), Rajaram et al. (71) resulted in the additional record of more than 300 fish species. Due to these additions, the tally of fish species known from fresh and marine habitats of A & N Islands has exceeded 1,300. However, the list of species becomes meaningless when in several cases one and the same species is found cited by various names in different publications and checklists. The generic combination of the species is altered so often which leads to create confusion in the mind of the biologist. For example, as many as eight names under six genera, have been cited to the Giant Grouper, *Epinephelus lanceolatus*. Moreover, the recent revisionary works on many fish families led to the shifting of many genera and species from one family to another and the synonymization of several taxa. This was primarily one reason that the present check list has been synthesized to sort out the nomenclatural mess. Since information on the fish species occurring in this region is scattered in the literature, the researchers, conservationists and others dealing with fish biodiversity and resource management, are facing difficulty in the correct specific status of the fish species of the region. Therefore, an analysis has been made to fulfill the lacunae by compiling all the records of fishes available from published literature and materials studied by the author in the area, with their current valid names. Several recent publications have been taken into account for valid names. After summing up all the lists and records, a revised checklist containing 1,371 species under 586 genera belonging to 175 families so far recorded from Andaman and Nicobar Islands is presented here. However, the taxonomic status of 19 species given in the list by an asterik (*) is still uncertain. The genera and species are presented alphabetically within families.

Systematic Account

Class : CHONDRICHTHYES
Sub Class : ELASMOBRANCHII
Order : CHIMAERIFORMES

Family : **Chimaeridae**
(Chimaeras)

1. *Hydrolagus* sp.

Family : **Rhinochimaeridae**
(Longnose chimaeras)

2. *Neoharriotta* sp.

Order : ORECTOLOBIFORMES

Family : **Hemiscylliidae**
(Bamboosharks)

3. *Chiloscyllium griseum* Muller & Henle, 1838
4. *Chiloscyllium indicum* (Gmelin, 1789)
5. *Chiloscyllium punctatum* Muller & Henle, 1838

Family : **Stegostomatidae**
(Zebra sharks)

6. *Stegostoma fasciatum* (Hermann, 1783)

Order : CARCHARHINIFORMES

Family : **Proscylliidae**

(Proscyllids)

7. *Eridacnis radcliffei* Smith, 1913

Family : **Carcharhinidae**
(Requiem Sharks)

8. *Carcharhinus albimarginatus* (Rüppell, 1837)
9. *Carcharhinus amblyrhynchos* (Bleeker, 1856)
10. *Carcharhinus brevipinna* (Muller & Henle, 1839)
11. *Carcharhinus dussumieri* (Muller & Henle, 1839)
12. *Carcharhinus hemiodon* (Valenciennes, 1839)
13. *Carcharhinus limbatus* (Muller & Henle, 1839)
14. *Carcharhinus longimanus* (Poey, 1861)
15. *Carcharhinus macloti* (Muller & Henle, 1839)
16. *Carcharhinus melanopterus* (Quoy & Gaimard, 1824)
17. *Carcharhinus sealei* (Pietschmann, 1913)
18. *Carcharhinus sorrah* (Muller & Henle, 1839)
19. *Galeocerdo cuvieri* (Peron & Le Sueur, 1822)
20. *Glyphis gangeticus* (Muller & Henle, 1839)
21. *Loxodon macrorhinus* Muller & Henle, 1839
22. *Negaprion acutidens* (Ruppell, 1837)
23. *Prionace glauca* (Linnaeus, 1758)
24. *Rhizoprionodon acutus* (Ruppell, 1837)
25. *Rhizoprionodon oligolinx* Springer, 1964
26. *Scoliodon laticaudus* (Müller & Henle, 1838)
27. *Triaenodon obesus* (Ruppell, 1837)

Family : **Scyliorhinidae**
(Cat sharks)

28. *Apristurus investigatoris* (Misra, 1962)
29. *Halaelurus hispidus* (Alcock, 1891)

Family : **Hemigaleidae**

30. *Chaenogaleus macrostoma* (Bleeker, 1852)

Family : **Sphyrnidae**
(Hammer-headed Sharks)

31. *Eusphyra blochii* (Cuvier, 1816)

32. *Sphyrna lewini* (Griffith & Smith, 1834)
 33. *Sphyrna mokarran* (Ruppell, 1837)
 34. *Sphyrna tudes* (Valenciennes, 1822)
 35. *Sphyrna zygaena* (Linnaeus, 1758)
- Order LAMNIFORMES
 Family : **Lamnidae**
 (Mackerel Sharks)
 36. *Isurus oxyrinchus* Rafinesque, 1810
- Family : **Alopiidae**
 (Thresher Sharks)
 37. *Alopias vulpinus* (Bonnaterre, 1788)
- Order : SQUALIFORMES
 Family : **Squalidae**
 (Dogfishes)
 38. *Squalus megalops* (Mac Leay, 1881)
- Family : **Centrophoridae**
 39. *Centrophorus acus* Garman, 1906
- Order : PRISTIFORMES
 Family : **Pristidae**
 (Saw fishes)
 40. *Anoxypristis cuspidata* (Latham, 1794)
 41. *Pristis microdon* Latham, 1794
 42. *Pristis zijsron* Bleeker, 1851
- Order : TORPEDINIFORMES
 Family : **Narcinidae**
 43. *Narke* sp.
- Order : RAJIFORMES
 Family : **Rhinobatidae**
 (Guitarfishes)
 44. *Rhina ancylostoma* Bloch & Schneider, 1801
 45. *Rhinobatos granulatus* Cuvier, 1829
 46. *Rhinobatos thouin* (Shaw, 1804)
 47. *Rhynchobatus djiddensis* (Forsskal, 1775)
- Family : **Rajidae**
 (Skates)
 48. *Cruriraja andamanica* (Lloyd, 1909)
- Family : **Dasyatidae**
 (Stingrays)
 49. *Dasyatis kuhlii* (Muller & Henle, 1841)
 50. *Dasyatis thetidis* Ogilby, 1899
 51. *Dasyatis zugei* (Muller & Henle, 1841)
 52. *Gymnura poecilura* (Shaw, 1804)
 53. *Himantura gerrardi* (Gray, 1851)
 54. *Himantura imbricata* (Bloch & Schneider, 1801)
 55. *Himantura uarnak* (Forsskal, 1775)
 56. *Pastinachus sephen* (Forsskal, 1775)
 57. *Taeniura lymma* (Forsskal, 1775)
 58. *Taeniura meyeni* Muller & Henle, 1841
- Order : MYLIOBATIFORMES
 Family : **Myliobatidae**
 (Eaglerays and Devilrays)
 59. *Aetobatus narinari* (Euphrasen, 1790)
60. *Aetomylaeus nichofii* (Bloch & Schneider, 1801)
 61. *Manta birostris* (Donndorff, 1792)
 62. *Mobula diabolus* (Shaw, 1804)
 63. *Rhinoptera javanica* Muller & Henle, 1841
- Class : OSTEICHTHYES
 Subclass : ACTINOPTERYGII
 Order : ELOPIFORMES
 Family : **Elopidae**
 (Ladyfishes)
 64. *Elops machnata* (Forsskal, 1775)
- Family : **Megalopidae**
 (Tarpons)
 65. *Megalops cyprinoides* (Broussonet, 1782)
- Family : **Albulidae**
 (Bonefishes)
 66. *Albula vulpes* (Linnaeus, 1758)
- Order : NOTACANTHIFORMES
 Family : **Halosauridae**
 (Halosaurs)
 67. *Halosaurus carinicauda* (Alcock, 1889)
- Order : ANGUILLIFORMES
 Family : **Anguillidae**
 (Freshwater eels)
 68. *Anguilla australis* Richardson, 1841
 69. *Anguilla bengalensis bengalensis* (Gray, 1834)
 70. *Anguilla bicolor bicolor* (McClelland, 1844)
 71. *Anguilla marmorata* (Bennett, 1831)
- Family : **Congridae**
 (Conger eels)
 72. *Ariosoma mauritianum* (Pappenheim, 1914)
 73. *Bathycongrus macrocerus* (Alcock, 1894)
 74. *Congresox talabonoides* (Bleeker, 1853)
 75. *Gorgasia maculata* Klausewitz & Eidl-Eibesfeldt, 1959
 76. *Heteroconger hassi* (Klausewitz & Eidl-Eibesfeldt, 1959)
 77. *Heteroconger obscurus* (Klausewitz & Eidl-Eibesfeldt, 1959)
- Family : **Muraenidae**
 (Moray eels)
 78. *Echidna nebulosa* (Ahl, 1789)
 79. *Muraena nigra* Day, 1870*
 80. *Gymnomuraena zebra* (Shaw, 1797)
 81. *Gymnothorax favagineus* Bloch & Sch., 1801
 82. *Gymnothorax fimbriatus* (Bennett, 1832)
 83. *Gymnothorax flavimarginatus* (Ruppell, 1830)
 84. *Gymnothorax hepaticus* (Ruppell, 1830)
 85. *Gymnothorax javanicus* (Bleeker, 1859)
 86. *Gymnothorax pictus* (Ahl, 1789)
 87. *Gymnothorax richardsonii* (bleeker, 1852)
 88. *Gymnothorax ruelletiae* (McClelland, 1844)
 89. *Gymnothorax thyrsoideus* (Richardson, 1845)
 90. *Gymnothorax tile* (Hamilton-Buchanan, 1822)
 91. *Gymnothorax undulatus* (Lacepede, 1803)
 92. *Rhinomuraena quaesita* Garman, 1888
 93. *Scuticaria tigrina* (Lesson, 1828)
 94. *Strophidon sathete* (Bleeker, 1854)

95. *Uropterygius concolor* Ruppell, 1838
 96. *Uropterygius macrocephalus* (Bleeker, 1865)
 97. *Uropterygius marmoratus* (Lacepede, 1803)
- Family : **Ophichthidae**
 (Snake-eels)
 98. *Cirrhimuraena playfairii* (Gunther, 1870)
 99. *Leiuranus semicinctus* (Lay & Bennett, 1839)
 100. *Muraenichthys macropterus* Bleeker, 1857
 101. *Muraenichthys schultzei* Bleeker, 1857
 102. *Myrichthys colubrinus* (Boddaert, 1781)
 103. *Myrichthys maculosus* (Cuvier, 1816)
 104. *Ophichthus apicalis* (Bennett, 1830)
 105. *Pisodonophis cancrivorus* (Richardson, 1844)
- Family : **Nemichthuidae**
 (Snipe eels)
 106. *Avocettina infans* (Gunther, 1878)
 107. *Nemichthys scolopaceus* (Richardson, 1848)
- Family : **Colocongridae**
 108. *Coloconger raniceps* Alcock, 1889
- Family : **Moringuidae**
 (Spaghetti eels)
 109. *Moringua bicolor* Kaup, 1856
- Family : **Muraenesocidae**
 (Pike congers)
 110. *Gavialiceps taeniola* Alcock, 1889
- Family : **Serrivomeridae**
 (Saw-tooth Eels)
 111. *Serrivomer microps* (Alcock, 1889)
- Order : CLUPEIFORMES
 Family : **Clupeidae**
 (Herrings, Sardines)
 112. *Amblygaster clupeoides* Bleeker, 1849
 113. *Amblygaster leiogaster* (Valenciennes, 1847)
 114. *Amblygaster sirm* (Walbaum, 1762)
 115. *Anodontostoma chacunda* (Hamilton-Buchanan, 1822)
 116. *Anodontostoma selangkat* (Bleeker, 1852)
 117. *Anodontostoma thailandiae* Wongratana, 1983
 118. *Dussumieria acuta* Valenciennes, 1847
 119. *Dussumieria elopsoides* Bleeker, 1849
 120. *Escualosa thoracata* (Valenciennes, 1847)
 121. *Gonialosa manmina* (Hamilton-Buchanan, 1822)
 122. *Herklostichthys punctatus* (Ruppell, 1837)
 123. *Herklostichthys quadrimaculatus* (Ruppell, 1837)
 124. *Hilsa kelee* (Cuvier, 1829)
 125. *Nematalosa nasus* (Bloch, 1795)
 126. *Opisthopterus tardoore* (Cuvier, 1829)
 127. *Pellona dayi* Wongratana, 1983
 128. *Pellona ditchela* (Valenciennes, 1847)
 129. *Sardinella albella* (Valenciennes, 1847)
 130. *Sardinella atricauda* (Guenther, 1868)
 131. *Sardinella brachysoma* (Bleeker, 1852)
 132. *Sardinella fimbriata* (Valenciennes, 1847)
 133. *Sardinella gibbosa* (Bleeker, 1849)
 134. *Sardinella longiceps* (Valenciennes, 1847)
 135. *Sardinella melanura* (Cuvier, 1829)
 136. *Spratelloides delicatulus* (Bennett, 1832)
 137. *Tenulalosa toli* (Valenciennes, 1847)
- Family : **Pristigasteridae**
 138. *Ilisha filigera* (Valenciennes, 1847)
 139. *Ilisha megaloptera* (Swainson, 1839)
 140. *Ilisha melastoma* (Schneider, 1801)
- Family : **Engraulidae**
 (Anchovies)
 141. *Coilia ramcarati* (Hamilton-Buchanan, 1822)
 142. *Encrasicholina heteroloba* (Ruppell, 1837)
 143. *Scutengraulis malabaricus* (Cuv. & Val.)*
 144. *Setipinna phasa* (Hamilton-Buchanan, 1822)
 145. *Setipinna tenuifilis* Valenciennes, 1848
 146. *Stolephorus commersonii* Lacepede, 1803
 147. *Stolephorus indicus* (van Hasselt, 1823)
 148. *Stolephorus waitei* Jordan & Seale, 1926
 149. *Thryssa baelama* (Forsskal, 1775)
 150. *Thryssa hamiltonii* Gray, 1835
 151. *Thryssa malabarica* (Bloch, 1795)
 152. *Thryssa mystax* (Bloch & Schneider, 1801)
 153. *Thryssa setirostris* (Broussonet, 1782)
- Family : **Chirocentridae**
 (Wolf herrings)
 154. *Chirocentrus dorab* (Forsskal, 1775)
 155. *Chirocentrus nudus* Swainson, 1839
- Order : GONORYNCHIFORMES
 Family : **Chanidae**
 (Milkfish)
 156. *Chanos chanos* (Forsskal, 1775)
- Order : CYPRINIFORMES
 Family : **Cyprinidae**
 (Minnows or Carps)
 157. *Catla catla* (Hamilton-Buchanan, 1822)
 158. *Cirrhinius cirrhosus* (Bloch, 1795)
 159. *Esomus danricus* (Hamilton-Buchanan, 1822)
 160. *Labeo calbasu* (Hamilton-Buchanan, 1822)
 161. *Labeo rohita* (Hamilton-Buchanan, 1822)
 162. *Rasbora daniconius* (Hamilton-Buchanan, 1822)
- Order : SILURIMORMES
 Family : **Clariidae**
 (Air breathing Catfishes)
 163. *Clarius batrachus* (Linnaeus, 1758)
- Family : **Ariidae**
 (Sea catfishes)
 164. *Arius bilineatus* (Valenciennes, 1840)
 165. *Arius dussumieri* Valenciennes, 1840
 166. *Arius macronotacanthus* Bleeker, 1846
 167. *Arius subrostratus* (Valenciennes, 1840)
 168. *Arius sumatranus* (Bennett, 1830)
 169. *Arius thalassinus* (Ruppell, 1837)
 170. *Arius venosus* Valenciennes, 1840
 171. *Ketengus typus* Bleeker, 1847
- Family : **Heteropneustidae**
 (Air Sac catfishes)
 172. *Heteropneustes fossilis* (Bloch, 1794)
- Family : **Plotosidae**
 (Eel catfishes)
 173. *Plotosus canius* Hamilton-Buchanan, 1822

174. *Plotosus lineatus* (Thunberg, 1787)

Order : SALMONIFORMES

Family : **Alepocephalidae**
(Slickheads)

175. *Alepocephalus longiceps* Lloyd, 1909
176. *Bathytroctes microlepis* Gunther, 1887
177. *Rouleina squamilatera* (Alcock, 1898)

Order : BERYCIFORMES

Family : **Monocentridae**
(Pinecone fishes)

178. *Monocentris japonica* (Houttuyn, 1782)

Family : **Holocentridae**

(Squirrelfishes, soldirfishes)

179. *Myripristis adusta* (Bleeker, 1853)
180. *Myripristis hexagona* (Lacepede, 1802)
181. *Myripristis murdjan* (Forsskal, 1775)
182. *Neoniphon aurolineatus* (Lienard, 1839)
183. *Neoniphon sammara* (Forsskal, 1775)
184. *Ostichthys japonicus* (Cuvier, 1829)
185. *Sargocentron caudimaculatum* (Ruppell, 1838)
186. *Sargocentron diadema* (Lacepede, 1802)
187. *Sargocentron ittodai* (Jordan & Fowler, 1902)
188. *Sargocentron melanospilos* (Bleeker, 1858)
189. *Sargocentron praslin* (Lacepede, 1802)
190. *Sargocentron punctatissimum* (Cuvier, 1829)
191. *Sargocentron rubrum* (Forsskal, 1775)
192. *Sargocentron spiniferum* (Forsskal, 1775)

Family : **Polymixiidae**

(Beardfishes)

193. *Polymixia Japonica* Gunther, 1877
194. *Polymixia nobilis* Lowe, 1836

Order : STOMIIFORMES

Family : **Stomiidae**
(Scaly dragonfishes)

195. *Stomias affinis* Gunther, 1887
196. *Stomias nebulosus* Alcock, 1889
197. *Photostomias guernei* Collett, 1889
198. *Chauliodus sloani* Schneider, 1801

Family : **Malacosteidae**

(Loose-jaws)

199. *Malacosteus indicus* Gunther, 1878
200. *Malacosteus niger* Ayres, 1848

Family : **Photichthyidae**

(Light fishes)

201. *Polymetme corythaeola* (Alcock, 1898)

Family : **Gonostomatidae**
(Bristlemouths)

202. *Cyclothone microdon* (Gunther, 1878)
203. *Diplophos taenia* Gunther, 1873

Family : **Sternoptychidae**

(Hatchetfishes)

204. *Polyipnus spinosus* Gunther, 1887

Order : AULOPIFORMES

Family : **Chlorophthalmidae**
(Greeneyes)

205. *Bathypterois guentheri* Alcock, 1889
206. *Iplops agassizii* Garman, 1899

Family : **Synodontidae**

(Lizardfishes)

207. *Saurida gracilis* (Quoy & Gaimard, 1824)
208. *Saurida micropectoralis* Shindo & Yamada, 1972
209. *Saurida nebulosa* Valenciennes, 1849
210. *Saurida tumbil* (Bloch, 1795)
211. *Saurida undosquamis* (Richardson, 1848)
212. *Synodus englemani* Schultz, 1953
213. *Synodus hoshinonis* Tanaka, 1917
214. *Synodus indicus* (Day, 1873)
215. *Synodus oculus* Cressey, 1981
216. *Synodus variegatus* (Lacepede, 1803)
217. *Trachinocephalus myops* (Forster, 1801)

Family : **Evermannellidae**

(Saber-toothed fishes)

218. *Coccorella atrata* (Alcock, 1894)

Order : MYCTOPHIFORMES

Family : **Myctophidae**

(Lanternfishes)

219. *Benthosema pterum* (Alcock, 1890)
220. *Diaphus coeruleus* (Klunzinger, 1871)
221. *Diaphus diademophilus* Nafpaktitis, 1978
222. *Diaphus malayanus* Weber, 1913
223. *Diaphus nielseni* Nafpaktitis, 1978
224. *Diaphus regani* Taning, 1932
225. *Diaphus suborbitalis* Weber, 1913

Family : **Neoscolopidae**

(Blackchins)

226. *Neoscolopelus macrolepidotus* Johnson, 1863

Order : LAMPRIIFORMES

Family : **Ateleopodidae**

(Jellynose fishes)

227. *Ateleopus indicus* Alcock, 1891

Order : LOPHIIFORMES

Family : **Lophiidae**

(Monks)

228. *Lophiodes mutilus* (Alcock, 1893)
229. *Lophiomus setigerus* (Vahl, 1797)

Family : **Antennariidae**

(Anglers)

230. *Antennarius coccineus* (Lesson, 1831)
231. *Antennarius commerson* (Latreille, 1804)
232. *Antennarius pictus* (Lacepede, 1798)
233. *Histrio histrio* (Linnaeus, 1758)

Family : **Ogcocephalidae**

(Seabats)

234. *Halicmetus ruber* Alcock, 1891
235. *Halieutaea nigra* Alcock, 1891

236. *Halieutaea coccinea* Alcock, 1889
 237. *Halieutopsis micropa* (Alcock, 1891)
 238. *Malthopsis lutea* Alcock, 1891
 239. *Malthopsis mitrigeria* Gilbert & Cramer, 1897
 240. *Ogcocephalus nasutus* (Cuvier, 1829)
- Order : OPHIDIIFORMES
 Family : **Ophidiidae**
 (Cusk eels)
241. *Brotula multibarbata* Temminck & Schlegel, 1846
 242. *Brotula piger* (Alcock, 1890)
 243. *Dicrolene intronigra* Goode & Bean, 1883
 244. *Dicrolene multifilis* (Alcock, 1889)
 245. *Dicrolene nigricaudis* (Woodmason & Alcock, 1891)
 246. *Glyptothidium argenteum* Alcock, 1889
 247. *Lamprogrammus niger* Alcock, 1891
 248. *Monomitopus nigripinnis* (Alcock, 1889)
 249. *Neobythites macrops* Gunther, 1887
 250. *Spottobrotula mahodadi* Cohen & Neilsen, 1978
- Family : **Carapidae**
 (Pearlfishes)
251. *Encheliophis homei* (Richardson, 1844)
 252. *Onuxodon margaritiferae* (Rendahl, 1921)
- Family : **Bythitidae**
 (Bythitids)
253. *Dinematichthyes ilunocoeteoides* Bleeker, 1855
 254. *Diplacanthopoma brachysoma* Gunther, 1887
 255. *Diplacanthopoma raniceps* Alcock, 1889
 256. *Hepthocara simum* Alcock, 1892
- Family : **Aphyonidae**
 (Aphyonids)
257. *Barathronus diaphanus* Brauer, 1906
 Order : GADIFORMES
- Family : **Moridae**
 (Deepsea cods)
258. *Physiculus roseus* Alcock, 1891
- Family : **Bregmacerotidae**
 (Codlets)
259. *Bregmaceros maclellandii* Thompson, 1840
- Family : **Macrouridae**
 (Grenadiers or rattails)
260. *Bathygadus furvescens* Alcock, 1894
 261. *Caelorinchus flabellispinis* (Alcock, 1894)
 262. *Caelorinchus parallelus* (Gunther, 1877)
 264. *Coryphaenoides macrolophus* (Alcock, 1889)
 265. *Coryphaenoides nasutus* Gunther, 1877
 266. *Gadomus multifilis* (Gunther, 1887)
 267. *Hymenocephalus heterolepis* (Alcock, 1889)
 268. *Hymenocephalus italicus* Giglioli, 1884
 269. *Malacocephalus laevis* (Lowe, 1843)
 270. *Nezumia brevirostris* (Alcock, 1889)
 271. *Nezumia investigatoris* (Alcock, 1889)
 272. *Nezumia semiquincunciata* (Alcock, 1889)
 273. *Ventrifossa petersonii* (Alcock, 1891)
- Order : ATHERINIFORMES
 Family : **Atherinidae**
 (Silversides)
274. *Atherina melanostigma* Day, 1875*
 275. *Atherinomorus duodecimalis* (Valenciennes, 1835)
 276. *Atherinomorus endrachtensis* (Quoy & Gaimard, 1824)
 277. *Atherinomorus lacunosus* (Forster, 1801)
 278. *Hypoatherina temminckii* (Bleeker, 1853)
- Order : BELONIFORMES
 Family : **Belonidae**
 (Needlefishes)
279. *Ablennes hians* (Valenciennes, 1846)
 280. *Strongylura leiura* (Bleeker, 1850)
 281. *Strongylura strongylura* (van Hasselt, 1823)
 282. *Tylosurus choram* (Ruppell, 1837)
 283. *Tylosurus crocodilus crocodilus* (Peron & Le Sueur, 1821)
- Family : **Hemirhamphidae**
 (Halfbeaks)
284. *Hemiramphus far* (Forsskal, 1775)
 285. *Hemiramphus lukei* Valenciennes, 1847
 286. *Hemiramphus marginatus* (Forsskal, 1775)
 287. *Hyporhamphus limbatus* (Valenciennes, 1847)
 288. *Hyporhamphus dussumieri* (Valenciennes, 1847)
 289. *Hyporhamphus unifasciatus* (Ranzani, 1842)
 290. *Hyporhamphus quoyi* (Valenciennes, 1847)
 291. *Hyporhamphus xanthopterus* (Valenciennes, 1847)
 292. *Rhynchorhamphus georgii* (Valenciennes, 1847)
 293. *Rhynchorhamphus malabaricus* Collette, 1976
 294. *Zenarchopterus buffonis* (Valenciennes, 1847)
 296. *Zenarchopterus dispar* (Valenciennes, 1847)
 297. *Zenarchopterus gilli* Smith, 1945
 298. *Zenarchopterus pappenheimi* Mohr, 1926
- Family : **Exocoetidae**
 (Flyingfishes)
299. *Cypselurus comatus* (Mitchill, 1815)
 300. *Cypselurus furcatus* (Mitchill, 1815)
 301. *Cypselurus oligolepis* (Bleeker, 1866)
 302. *Cypselurus spilopterus* (Valenciennes, 1847)
 303. *Cypselurus starksi* Abe, 1953
 304. *Exocoetus volitans* Linnaeus, 1758
 305. *Parexocoetus brachypterus* (Richardson, 1846)
- Order : CYPRINODONTIFORMES
 Family : **Oryziidae**
 (Ricefishes)
306. *Oryzias melastigma* (McClelland, 1839)
- Family : **Aplocheilidae**
 (Riveulines)
307. *Aplocheilus panchax* (Hamilton-Buchanan, 1822)
- Order : PEGASIFORMES
 Family : **Pegasidae**
 (Seamoths)
308. *Eurypegasis draconis* (Linnaeus, 1766)

309. *Pegasus volitans* Linnaeus, 1758
- Order : SYNGNATHIFORMES
Family : **Aulostomidae**
(Trumpetfishes)
310. *Aulostomus chinensis* (Linnaeus, 1766)
- Family : **Fistularidae**
(Cornetfishes)
311. *Fistularia commersonii* Ruppell, 1838
312. *Fistularia petimba* Lacepede, 1803
- Family : **Syngnathidae**
(Pipefishes and seahorses)
313. *Acentronura gracilissima* (Temminck & Schlegel, 1850)
314. *Bhanotia fasciolata* (Dumeril, 1870)
315. *Choeroichthys sculptus* (Gunther, 1870)
316. *Corythoichthys haematopterus* (Bleeker, 1851)
317. *Corythoichthys intestinalis* (Ramsay, 1881)
318. *Doryichthys martensii* (Peters, 1868)
319. *Doryrhamphus dactyliophorus* (Bleeker, 1853)
320. *Doryrhamphus excisus excisus* Kaup, 1856
321. *Halicampus mataaefae* (Jordan & Seale, 1906)
322. *Hippichthys heptagonus* Bleeker, 1849
323. *Hippichthys spicifer* (Ruppell, 1838)
324. *Hippocampus capensis* Boulenger, 1900
325. *Halicampus grayi* Kaup, 1856
326. *Hippocampus hystrix* Kaup, 1856
327. *Hippocampus kuda* Bleeker, 1852
328. *Hippocampus trimaculatus* Leach, 1814
329. *Ichthyocampus carce* (Hamilton-Buchanan, 1822)
330. *Microphis brachyurus brachyurus* (Bleeker, 1853)
331. *Microphis insularis* (Hora, 1925)
332. *Microphis tenuis* Blyth, 1859*
333. *Phoxocampus tetrophthalmus* (Bleeker, 1858)
334. *Syngnathoides biaculeatus* (Bloch, 1785)
- Family : **Centriacidae**
(Razerfishes)
335. *Aeoliscus strigatus* (Gunther, 1861)
336. *Centriscus scutatus* Linnaeus, 1758
- Family : **Solenostomidae**
(Chost pipefishes)
337. *Solenostomus cyanopterus* Bleeker, 1854
338. *Solenostomus paradoxus* (Pallas, 1770)
- Order : SCORPAENIFORMES
Family : **Scorpaenidae**
(Scorpionfishes or Rockfishes)
339. *Dendrochirus brachypterus* (Cuvier, 1829)
340. *Dendrochirus zebra* (Cuvier, 1829)
341. *Pontinus hexanema* (Gunther, 1880)
342. *Pterois antennata* (Bloch, 1787)
343. *Pterois lunulata* Temminck & Schlegel, 1843
344. *Pterois radiata* Cuvier, 1829
345. *Pterois russellii* Bennett, 1831
346. *Pterois volitans* (Linnaeus, 1758)
347. *Scorpaena haplodactylus* Bleeker, 1852*
348. *Scorpaena neglecta* Temminck & Schlegel, 1843
349. *Scorpaena picta* Cuvier, 1829
350. *Scorpaenodes guamensis* (Quoy & Gaimard, 1824)
351. *Scorpaenodes smithi* Eschmeyer & Rama Rao, 1972
352. *Scorpaenopsis cirrhosa* (Thunberg, 1793)
353. *Scorpaenopsis gibbosa* (Bloch & Schneider, 1801)
354. *Scorpaenopsis oxycephalus* (Bleeker, 1849)
355. *Scorpaenopsis venosa* (Cuvier, 1829)
356. *Sebastapistes rhodochrous* (Gunther, 1871)
357. *Sebastapistes strongia* (Cuvier, 1829)
358. *Sebastes stoliczkae* Day, 1875*
- Family : **Setarchiidae**
359. *Setarches guentheri* Johnson, 1862
360. *Setarches longimanus* (Alcock, 1894)
- Family : **Tetrarogidae**
(Wasp fishes)
361. *Ablabys macracanthus* (Bleeker, 1852)
362. *Ablaby taenianotus* (Cuvier, 1829)
363. *Tetraroge barbata* (Cuvier, 1829)
364. *Tetraroge niger* (Cuvier, 1829)
365. *Vespacula depressiformis* (Richardson, 1848)
366. *Vespacula trachinoides* (Cuvier, 1829)
- Family : **Aploactinidae**
(Velvetfishes)
367. *Cocotropus echinatus* (Cantor, 1849)
368. *Cocotropus steinzi* Eschmeyer & Dor, 1978
369. *Xenaploactis cautes* Poss & Eschmeyer, 1980
- Family : **Caracanthidae**
(Orbicular velvetfishes)
370. *Caracanthus unipinna* (Gray, 1831)
- Family : **Synanceiidae**
(Stonefishes)
371. *Inimicus caledonicus* (Sauvage, 1878)
372. *Inimicus didactylus* (Pallas, 1769)
373. *Synanceia alula* Eschmeyer & Rama-Rao, 1973
374. *Synanceia horrida* (Linnaeus, 1766)
375. *Synanceia verrucosa* Bloch & Schneider, 1801
376. *Trachicephalus uranoscopus* (Bloch & Schneider, 1801)
- Family : **Platycephalidae**
(Flatheads)
377. *Cociella crocodile* (Tilesius, 1812)
378. *Eurycephalus carbunculus* (Valenciennes, 1833)
379. *Grammolites scaber* (Linnaeus, 1758)
380. *Kumocoius rodericensis* (Cuvier, 1829)
381. *Onigocia oligolepis* (Regan, 1908)
382. *Platycephalus indicus* (Linnaeus, 1758)
383. *Inegocia japonica* (Cuvier, 1829)
384. *Sorsogona tuberculata* (Cuvier, 1829)
- Family : **Triglidae**
(Searobins)
385. *Lepidotrigla riggsi* Richards & Saksena, 1977
- Family : **Dactylopteridae**
(Flying gurnards)
386. *Dactyloptena orientalis* (Cuvier, 1829)
387. *Dactyloptena petersemi* (Nyström, 1887)
- Family : **Peristediidae**
(Armoured Searobins or Gurnards)
388. *Peristedion investigatoris* (Alcock, 1898)

389. *Satyrichthys murrayi* (Gunther, 1880)
 390. *Satyrichthys serrulatus* (Alcock, 1898)
- Order : PERCIFORMES
 Family : **Ambassidae**
 (Asiatic glassfishes)
391. *Ambassis buruensis* Bleeker, 1856
 392. *Ambassis buton* Popta, 1918
 393. *Ambassis commersonii* Cuvier, 1828
 394. *Ambassis dussumieri* Cuvier, 1828
 395. *Ambassis gymnocephalus* (Lacepede, 1802)
 396. *Ambassis interrupta* Bleeker, 1852
 397. *Ambassis kopsii* Bleeker, 1858
 398. *Ambassis nalua* (Hamilton-Buchanan, 1822)
 399. *Ambassis urotaenia* Bleeker, 1852
 400. *Parambassis dayi* (Bleeker, 1874)
- Family : **Centropomidae**
 401. *Lates calcarifer* (Bloch, 1790)
 402. *Psammoperca waigiensis* (Cuvier, 1828)
- Family : **Kuhliidae**
 (Flagtails)
403. *Kuhlia marginata* (Cuvier, 1829)
 404. *Kuhlia mugil* (Forster, 1801)
 405. *Kuhlia rupestris* (Lacepede, 1802)
 406. *Kuhlia taeniurus* (Cuvier, 1829)
- Family : **Serranidae**
 (Sra basses, groupers and fairy basslets)
407. *Aethaloperca rogaea* (Forsskal, 1775)
 408. *Anyperodon leucogrammicus* (Valenciennes, 1828)
 409. *Aulacocephalus temmincki* Bleeker, 1854
 410. *Centrogenys vaigiensis* (Quoy & Gaimard, 1824)
 411. *Cephalopholis argus* Bloch & Schneider, 1801
 412. *Cephalopholis boenack* (Bloch, 1790)
 413. *Cephalopholis cyanostigma* (Valenciennes, 1828)
 414. *Cephalopholis formosa* (Shaw & Nodder, 1812)
 415. *Cephalopholis leopardus* (Lacepede, 1801)
 416. *Cephalopholis microprion* (Bleeker, 1852)
 417. *Cephalopholis miniata* (Forsskal, 1775)
 418. *Cephalopholis sonnerati* (Valenciennes, 1828)
 419. *Cephalopholis urodeta* (Forster, 1801)
 420. *Cromileptes altivelis* (Valenciennes, 1828)
 421. *Epinephelus areolatus* (Forsskal, 1775)
 422. *Epinephelus bleekeri* (Vaillant, 1877)
 423. *Epinephelus caeruleopunctatus* (Bloch, 1790)
 424. *Epinephelus chlorostigma* (Valenciennes, 1828)
 425. *Epinephelus coioides* (Hamilton-Buchanan, 1822)
 426. *Epinephelus corallicola* (Valenciennes, 1828)
 427. *Epinephelus erythrurus* (Valenciennes, 1828)
 428. *Epinephelus fasciatus* (Forsskal, 1775)
 429. *Epinephelus faveatus* (Valenciennes, 1828)
 430. *Epinephelus flavocaeruleus* (Lacepede, 1802)
 431. *Epinephelus fuscoguttatus* (Forsskal, 1775)
 432. *Epinephelus hexagonatus* (Schneider, 1801)
 433. *Epinephelus lanceolatus* (Bloch, 1790)
 434. *Epinephelus longispinis* (Kner, 1865)
 435. *Epinephelus macrospilus* (Bleeker, 1855)
436. *Epinephelus maculatus* (Bloch, 1790)
 437. *Epinephelus malabaricus* (Bloch & Schneider, 1801)
 438. *Epinephelus melanostigma* Schultz, 1953
 439. *Epinephelus merra* Bloch, 1793
 440. *Epinephelus miliaris* (Valenciennes, 1830)
 441. *Epinephelus morrhua* (Valenciennes, 1833)
 442. *Epinephelus ongus* (Bloch, 1790)
 443. *Epinephelus polyphemadion* (Bleeker, 1849)
 444. *Epinephelus polystigma* (Bleeker, 1853)
 445. *Epinephelus quoyanus* (Valenciennes, 1830)
 446. *Epinephelus radiatus* (Day, 1868)
 447. *Epinephelus sexfasciatus* (Valenciennes, 1828)
 448. *Epinephelus pilotoceps* Schultz, 1953
 449. *Epinephelus summana* (Forsskal, 1775)
 450. *Epinephelus tauvina* (Forsskal, 1775)
 451. *Epinephelus undulosus* (Quoy & Gaimard, 1824)
 452. *Grammistes sexlineatus* (Thunberg, 1792)
 453. *Plectropomus areolatus* (Ruppell, 1830)
 454. *Plectropomus laevis* (Lacepede)
 455. *Plectropomus maculatus* (Bloch, 1790)
 456. *Plectropomus pessuliferus* (Fowler, 1904)
 457. *Pseudanthias squamipinnis* (Peters, 1855)
 458. *Variola albimarginata* Baissac, 1953
 459. *Variola louti* (Forsskal, 1775)
- Family : **Pseudochromidae**
 (Dottybacks)
460. *Congrogadus subducens* (Richardson, 1843)
 461. *Pseudochromis cyanotaenia* Bleeker, 1857
 462. *Pseudochromis dutoiti* Smith, 1955
 463. *Pseudochromis fuscus* Muller & Troschel, 1849
 464. *Pseudochromis xanthochir* Bleeker, 1855
- Family : **Plesiopidae**
 (Roundheads)
465. *Plesiops coeruleolineatus* Ruppell, 1835
 466. *Plesiops corallicola* Bleeker, 1853
 467. *Plesiops nigricans* (Ruppell, 1828)
 468. *Plesiops oxycephalus* Bleeker, 1855
- Family : **Teraponidae**
 (Grunters or tigerperches, thornfishes)
469. *Pelates quadrilineatus* (Bloch, 1790)
 470. *Terapon jarbua* (Forsskal, 1775)
 471. *Terapon puta* (Cuvier, 1829)
 472. *Terapon theraps* (Cuvier, 1829)
- Family : **Priacanthidae**
 (Bigeyes)
473. *Heteropriacanthus cruentatus* (Lacepede, 1801)
 474. *Priacanthus blochii* Bleeker, 1853
 475. *Priacanthus hamrur* (Forsskal, 1775)
 476. *Priacanthus tayenus* Richardson, 1846
 477. *Pristigenys nipponia* (Cuvier, 1829)
- Family : **Apogonidae**
 (Cardinalfishes)
478. *Apogon aureus* (Lacepede, 1802)
 479. *Apogon ceramensis* Bleeker, 1852
 480. *Apogon chrysoaenia* Bleeker, 1851
 481. *Apogon coccineus* Ruppell, 1838
 482. *Apogon cookii* Macleay, 1881

483. *Apogon cyanosoma* Bleeker, 1853
 484. *Apogon ellioti* Day, 1875
 485. *Apogon endekataenia* Bleeker, 1852
 486. *Apogon fasciatus* (White, 1790)
 487. *Apogon fleurieu* (Lacepede, 1802)
 488. *Apogon fraenatus* Valenciennes, 1832
 489. *Apogon fragilis* Smith, 1961
 490. *Apogon guamensis* Valenciennes, 1832
 491. *Apogon hyalosoma* Bleeker, 1852
 492. *Apogon kallopterus* Bleeker, 1856
 493. *Apogon lateralis* Valenciennes, 1832
 494. *Apogon multitaeniatus* Cuvier, 1828
 495. *Apogon nigricans* Day, 1875*
 496. *Apogon novemfasciatus* Cuvier, 1828
 497. *Apogon poecilopterus* Cuvier, 1828
 498. *Apogon quadrifasciatus* Cuvier, 1828
 499. *Apogon sangiensis* Bleeker, 1857
 500. *Apogon savayensis* Gunther, 1872
 501. *Apogon septemstriatus* Gunther, 1880
 502. *Apogon taeniatus* Cuvier, 1828
 503. *Apogon thermalis* Cuvier, 1829
 504. *Apogon trimaculatus* Cuvier, 1828
 505. *Apogon wassinki* Bleeker, 1861
 506. *Apogonichthys ocellatus* (Weber, 1913)
 507. *Apogonichthys perdix* Bleeker, 1854
 508. *Archamia fucata* (Cantor, 1849)
 509. *Archamia lineolata* (Cuvier, 1828)
 510. *Archamia macroptera* (Cuvier, 1828)
 511. *Cheilodipterus arabicus* (Gmelin, 1789)
 512. *Cheilodipterus artus* Smith, 1961
 513. *Cheilodipterus macrodon* (Lacepede, 1802)
 514. *Cheilodipterus quinquelineatus* Cuvier, 1828
 515. *Fowleria aurita* (Valenciennes, 1831)
 516. *Fowleria punctulata* (Ruppell, 1838)
 517. *Rhabdamia gracilis* (Bleeker, 1856)
 518. *Sphaeramia orbicularis* (Cuvier, 1828)

Family : **Haemulidae**
 (Grunts)

519. *Diagramma pictum* (Thunberg, 1792)
 520. *Plectorhinchus chaetodonoides* Lacepede, 1801
 521. *Plectorhinchus diaframmus* (Linnaeus, 1758)
 522. *Plectorhinchus flavomaculatus* (Cuvier, 1830)
 523. *Plectorhinchus gibbosus* (Lacepede, 1802)
 524. *Plectorhinchus nigrus* (Cuvier, 1830)
 525. *Plectorhinchus orientalis* (Bloch, 1793)
 526. *Plectorhinchus rayi* (Menon & Talwar, 1973)
 527. *Plectorhinchus schotaf* (Forsskal, 1775)
 528. *Pomodasys argenteus* (Forsskal, 1775)
 529. *Pomodasys argyreus* (Valenciennes, 1833)
 530. *Pomodasys furcatum* (Bloch & Schneider, 1801)
 531. *Pomodasys guoraca* (Cuvier, 1829)
 532. *Pomodasys hasta* (Bloch, 1790)
 533. *Pomodasys kaakan* (Cuvier, 1830)
 534. *Pomodasys maculatus* (Bloch, 1793)

Family : **Lutjanidae**
 (Snappers)

535. *Aphareus furca* (Lacepede, 1801)
 536. *Aphareus rutilans* Cuvier, 1830

537. *Aprion virescens* Valenciennes, 1830
 538. *Apsilus fuscus* Valenciennes, 1830
 539. *Etelis carbunculus* Cuvier, 1828
 540. *Lipocheilus carnolabrum* (Chan, 1970)
 541. *Lutjanus argentimaculatus* (Forsskal, 1775)
 542. *Lutjanus bengalensis* (Bloch, 1790)
 543. *Lutjanus biguttatus* (Valenciennes, 1830)
 544. *Lutjanus bohar* (Forsskal, 1775)
 545. *Lutjanus bouton* (Lacepede, 1802)
 546. *Lutjanus carponotatus* (Richardson, 1842)
 547. *Lutjanus decussatus* (Cuvier, 1828)
 548. *Lutjanus ehrenbergii* (Peters, 1869)
 549. *Lutjanus erythropterus* Bloch, 1790
 550. *Lutjanus fulviflamma* (Forsskal, 1775)
 551. *Lutjanus fulvus* (Schneider, 1801)
 552. *Lutjanus gibbus* (Forsskal, 1775)
 553. *Lutjanus guilcheri* Fourmanoir, 1959
 554. *Lutjanus johnii* (Bloch, 1792)
 555. *Lutjanus kasmira* (Forsskal, 1775)
 556. *Lutjanus lemniscatus* (Valenciennes, 1828)
 557. *Lutjanus lunulatus* (Park, 1797)
 558. *Lutjanus lutjanus* Bloch, 1790
 559. *Lutjanus madras* (Valenciennes, 1831)
 560. *Lutjanus malabaricus* (Schneider, 1801)
 561. *Lutjanus monostigma* (Cuvier, 1828)
 562. *Lutjanus quinquelineatus* (Bloch, 1790)
 563. *Lutjanus rivulatus* (Cuvier, 1828)
 564. *Lutjanus russellii* (Bleeker, 1849)
 565. *Lutjanus sanguineus* (Cuvier, 1828)
 566. *Lutjanus sebae* (Cuvier, 1828)
 567. *Lutjanus vitta* (Quoy & Gaimard, 1824)
 568. *Macolor niger* (Forsskal, 1775)
 569. *Paracaesio sordida* Abe & Shinohara, 1862
 570. *Paracaesio xanthura* (Bleeker, 1869)
 571. *Pinjalo lewisi* Randall, Allen & Anderson, 1987
 572. *Pinjalo pinjalo* (Bleeker, 1850)
 573. *Pristipomoides filamentosus* (Valenciennes, 1830)
 574. *Pristipomoides multidens* (Day, 1871)
 575. *Pristipomoides sieboldii* (Bleeker, 1857)
 576. *Pristipomoides typus* Bleeker, 1852

Family : **Caesionidae**
 (Fusiliers)

577. *Caesio caeruleaurea* Lacepede, 1801
 578. *Caesio cuning* (Bloch, 1791)
 579. *Caesio lunaris* Cuvier, 1830
 580. *Caesio teres* Seale, 1906
 581. *Caesio varilineata* Carpenter, 1987
 582. *Caesio xanthonota* (Bleeker, 1853)
 583. *Dipterygonotus balteatus* (Valenciennes, 1830)
 584. *Gymnoaesio gymnoptera* (Bleeker, 1856)
 585. *Pterocaesio chrysozona* (Cuvier, 1830)
 586. *Pterocaesio marri* Schultz, 1953
 587. *Pterocaesio pisang* (Bleeker, 1853)
 588. *Pterocaesio tessellata* Carpenter, 1987
 589. *Pterocaesio tile* (Cuvier, 1830)

Family : **Sparidae**
 (Seabreams)

590. *Acanthopagrus berda* (Forsskal, 1775)
591. *Argyrops spinifer* (Forsskal, 1775)

Family : **Lethrinidae**
(Emperors or scavengers)

592. *Gnathodentex aurolineatus* (Lacepede, 1802)
593. *Gymnocranius elongatus* Senta, 1973
594. *Gymnocranius grandoculis* (Valenciennes, 1830)
595. *Gymnocranius griseus* (Schlegel, 1844)
596. *Lethrinus amboinensis* Bleeker, 1854
597. *Lethrinus borbonicus* Valenciennes, 1830
598. *Lethrinus conchylatus* (Smith, 1959)
599. *Lethrinus erythracanthus* Valenciennes, 1830
600. *Lethrinus erythropterus* Valenciennes, 1830
601. *Lethrinus harak* (Forsskal, 1775)
602. *Lethrinus lentijan* (Lacepede, 1802)
603. *Lethrinus mahsena* (Forsskal, 1775)
604. *Lethrinus microdon* Valenciennes, 1830
605. *Lethrinus nebulosus* (Forsskal, 1775)
606. *Lethrinus obsoletus* (Forsskal, 1775)
607. *Lethrinus olivaceus* Valenciennes, 1830
608. *Lethrinus ornatus* Valenciennes, 1830
609. *Lethrinus rubrioperculatus* Sato, 1978
610. *Lethrinus variegatus* Valenciennes, 1830
611. *Lethrinus xanthochilus* Klunzinger, 1870
612. *Monotaxis grandoculis* (Forsskal, 1775)
613. *Wattsia mossambica* (Smith, 1957)

Family : **Nemipteridae**
(Threadfin breams, Whiptail breams)

614. *Nemipterus bipunctatus* (Valenciennes, 1830)
615. *Nemipterus hexodon* (Quoy & Gaimard, 1824)
616. *Nemipterus japonicus* (Bloch, 1791)
617. *Nemipterus mesoprion* (Bleeker, 1853)
618. *Nemipterus nematophorus* (Bleeker, 1853)
619. *Nemipterus nemurus* (Bleeker, 1857)
620. *Nemipterus peronii* (Valenciennes, 1830)
621. *Nemipterus randalli* Russell, 1986
622. *Nemipterus zysron* (Bleeker, 1856)
623. *Parascolopsis eriomma* (Jardan & Richardson, 1909)
624. *Parascolopsis inermis* (Temminck & Schlegel, 1843)
625. *Scolopsis auratus* (Park, 1797)
626. *Scolopsis bilineata* (Bloch, 1793)
627. *Scolopsis ciliatus* (Lacepede, 1802)
628. *Scolopsis frenatus* (Cuvier, 1830)
629. *Scolopsis ghanam* (Forsskal, 1775)
630. *Scolopsis lineatus* Quoy & Gaimard, 1824
631. *Scolopsis margaritifera* (Cuvier, 1830)
632. *Scolopsis monogramma* (Cuvier, 1830)
633. *Scolopsis taeniopterus* (Cuvier, 1830)
634. *Scolopsis vosmeri* (Bloch, 1792)
635. *Scolopsis xenochrous* Gunther, 1872

Family : **Kyphosidae**
(Sea chubs)

636. *Kyphosus bigibbus* Lacepede, 1801
637. *Kyphosus cinerascens* (Forsskal, 1775)
638. *Kyphosus vaigiensis* (Quoy & Gaimard, 1825)

Family : **Scatophagidae**
(Scatties)

639. *Scatophagus argus* (Linnaeus, 1766)

Family : **Ephippidae**
(Spadefishes, batfishes)

640. *Ephippus orbis* (Bloch, 1787)
641. *Platax orbicularis* (Forsskal, 1775)
642. *Platax pinnatus* (Linnaeus, 1758)
643. *Platax teira* (Forsskal, 1775)
644. *Tripteronodon orbis* Playfair, 1867

Family : **Monodactylidae**
(Moonfishes)

645. *Monodactylus argenteus* (Linnaeus, 1758)

Family : **Gerreidae**
(Pursemouths)

646. *Gerres abbreviatus* Bleeker, 1850
647. *Gerres filamentosus* Cuvier, 1829
648. *Gerres indicus* Cuvier*
649. *Gerres kapas* Bleeker, 1851
650. *Gerres limbatus* Cuvier, 1830
651. *Gerres oblongus* Cuvier, 1830
652. *Gerres oyena* (Forsskal, 1775)
653. *Gerres longirostris* (Cuvier, 1829)
654. *Gerres phayia* Cuvier, 1830
655. *Gerres setifer* (Hamilton-Buchanan, 1822)
656. *Pentaprion longimanus* (Cantor, 1849)

Family : **Mullidae**
(Goatfishes)

657. *Mulloidichthys flavolineatus* (Lacepede, 1801)
658. *Mulloidichthys vanicolensis* (Valenciennes, 1831)
659. *Parupeneus barberinus* (Lacepede, 1801)
660. *Parupeneus bifasciatus* (Lacepede, 1801)
661. *Parupeneus cyclostonus* (Lacepede, 1801)
662. *Parupeneus forsskali* (Forsskal, 1775)
663. *Parupeneus heptacanthus* (Lacepede, 1802)
664. *Parupeneus indicus* (Shaw, 1803)
665. *Parupeneus macronema* (Lacepede, 1801)
666. *Parupeneus pleurostigma* (Bennett, 1831)
667. *Parupeneus rubescens* (Lacepede, 1801)
668. *Parupeneus spilurus* (Bleeker, 1854)
669. *Upeneus luzonius* Jordan & Seale, 1907
670. *Upeneus moluccensis* Bleeker, 1855
671. *Upeneus sulphureus* (Cuvier, 1829)
672. *Upeneus tragula* Richardson, 1846
673. *Upeneus vittatus* (Forsskal, 1775)

Family : **Malacanthidae**
(Tailfishes)

674. *Malacanthus brevirostris* Guichenot, 1848
675. *Malacanthus latovittatus* (Lacepede, 1801)

Family : **Sillaginidae**
(Sillagos)

676. *Sillago aeolus* Jordan & Evermann, 1902
677. *Sillago chondropus* Bleeker, 1849
678. *Sillago maculata* Quoy & Gaimard, 1824
679. *Sillago sihama* (Forsskal, 1775)

Family : **Sciaenidae**

(Drummers, Croackers)

680. *Dendrophysa russelli* (Cuvier, 1829)
 681. *Johnius amblycephalus* (Bleeker, 1855)
 682. *Johnius belengerii* (Cuvier, 1830)
 683. *Johnius carouna* (Cuvier, 1830)
 684. *Johnius carutta* Bloch, 1793
 685. *Johnius dussumieri* (Cuvier, 1830)
 686. *Johnius macropterus* (Bleeker, 1853)
 687. *Nibea soldado* (Lacepede, 1802)
 688. *Otolithus ruber* (Bloch & Schneider, 1801)
 689. *Pennahia anea* (Bloch, 1793)

Family : **Menidae**

(Moonfishes)

690. *Mene maculata* (Bloch & Schneider, 1801)

Family : **Leiognathidae**

(Slimys, slipmouths, or ponyfishes)

691. *Gazza achlamys* Jordan & Starks, 1917
 692. *Gazza minuta* (Bloch, 1795)
 693. *Leiognathus berbis* (Valenciennes, 1835)
 694. *Leiognathus bindus* (Valenciennes, 1835)
 695. *Leiognathus blochii* (Valenciennes, 1835)
 696. *Leiognathus brevirostris* (Valenciennes, 1835)
 697. *Leiognathus dauva* (Cuvier, 1829)
 698. *Leiognathus decorus* (De Vis, 1884)
 699. *Leiognathus dussumieri* (Valenciennes, 1835)
 700. *Leiognathus equulus* (Forsskal, 1775)
 701. *Leiognathus fasciatus* (Lacepede, 1803)
 702. *Leiognathus leuciscus* (Gunther, 1860)
 703. *Leiognathus lineolatus* (Valenciennes, 1835)
 704. *Leiognathus longispinis* (Valenciennes, 1835)
 705. *Leiognathus splendens* (Cuvier, 1829)
 706. *Macilentichthys indicus* (Singh & Talwar, 1978)
 707. *Secutor insidiator* (Bloch, 1787)
 708. *Secutor ruconius* (Hamilton-Buchanan, 1822)

Family : **Lobotidae**

(Tripletails)

709. *Lobotes surinamensis* (Bloch, 1790)

Fa Family : **Pomacanthidae**

(A (Angelfishes)

710. *Apolemichthys trimaculatus* (Cuvier, 1831)
 711. *Centropyge bicolor* (Bloch, 1787)
 712. *Centropyge bispinosus* (Günther, 1860)
 713. *Centropyge eibli* Klausewitz, 1963
 714. *Centropyge flavissimus* (Cuvier, 1831)
 715. *Centropyge nox* (Bleeker, 1853)
 716. *Centropyge tibicen* (Cuvier, 1831)
 717. *Centropyge vrolikii* (Bleeker, 1853)
 718. *Chaetodontoplus melanosoma* (Bleeker, 1853)
 719. *Chaetodontoplus mesoleucus* (Bloch, 1787)
 720. *Genicanthus lamarck* (Lacepede, 1802)
 721. *Pomacanthus annularis* (Bloch, 1787)
 722. *Pomacanthus imperator* (Bloch, 1787)
 723. *Pomacanthus navarchus* (Cuvier, 1831)
 724. *Pomacanthus semicirculatus* (Cuvier, 1831)
 725. *Pomacanthus sexstriatus* (Cuvier, 1831)

726. *Pomacanthus xanthometopon* (Bleeker, 1853)727. *Pygoplites diacanthus* Boddaert, 1772)Family : **Chaetodontidae**

(Butterflyfishes)

728. *Chaetodon auriga* Forsskal, 1775
 729. *Chaetodon citrinellus* Cuvier, 1831
 730. *Chaetodon collare* Bloch, 1787
 731. *Chaetodon decussatus* Cuvier, 1829
 732. *Chaetodon ephippium* Cuvier, 1831
 733. *Chaetodon falcula* Bloch, 1793
 734. *Chaetodon guttatissimus* Bennett, 1832
 735. *Chaetodon kleinii* Bloch, 1790
 736. *Chaetodon lineolatus* Cuvier, 1831
 737. *Chaetodon lunula* (Lacepede, 1802)
 738. *Chaetodon madagaskariensis* Ahl, 1923
 739. *Chaetodon melannotus* Bloch & Schneider, 1801
 740. *Chaetodon meyeri* Bloch & Schneider, 1801
 741. *Chaetodon octofasciatus* Bloch, 1787
 742. *Chaetodon ornatissimus* Cuvier, 1831
 743. *Chaetodon plebeius* Cuvier, 1831
 744. *Chaetodon punctatofasciatus* Cuvier, 1831
 745. *Chaetodon rafflesii* Bennett, 1830
 746. *Chaetodon reticulatus* Cuvier, 1831
 747. *Chaetodon semeion* Bleeker, 1855
 748. *Chaetodon triangulum* Cuvier, 1831
 749. *Chaetodon trifascialis* Quoy & Gaimard, 1825
 750. *Chaetodon trifasciatus* Park, 1797
 751. *Chaetodon unimaculatus* Bloch, 1787
 752. *Chaetodon vagabundus* Linnaeus, 1758
 753. *Chaetodon xanthurus* Bleeker, 1857
 754. *Chelmon rostratus* (Linnaeus, 1758)
 755. *Forcipiger flavissimus* Jordan & McGregor, 1898
 756. *Forcipiger longirostris* (Broussonet, 1782)
 757. *Hemitaurichthys polylepis* (Bleeker, 1857)
 758. *Heniochus acuminatus* (Linnaeus, 1758)
 759. *Heniochus diphreutes* Jordan, 1903
 760. *Heniochus singularius* Smith & Radcliffe, 1911
 761. *Heniochus varius* (Cuvier, 1829)

Family : **Bramidae**

(Pomfrets)

762. *Tractes rubescens* (Jordan & Evermann, 1887)
 763. *Tractichthys steindachneri* (Doderlein, 1883)

Family : **Carangidae**

(Jacks, Kingfishes)

764. *Alectis ciliaris* (Bloch, 1787)
 765. *Alectis indicus* (Ruppell, 1830)
 766. *Alepes djedaba* (Forsskal, 1775)
 767. *Alepes kleinni* (Bloch, 1793)
 768. *Alepes melanoptera* Swainson, 1839
 769. *Atule mate* (Cuvier, 1833)
 770. *Carangoides armatus* (Ruppell, 1830)
 771. *Carangoides caeruleopinnatus* (Ruppell, 1830)
 772. *Carangoides chrysophrys* (Cuvier, 1833)
 773. *Carangoides ciliaris* (Ruppell, 1830)
 774. *Carangoides dinema* Bleeker, 1851
 775. *Carangoides ferdau* (Forsskal, 1775)
 776. *Carangoides fulvoguttatus* (Forsskal, 1775)
 777. *Carangoides gymnotethus* (Cuvier, 1833)
 778. *Carangoides hedlandensis* (Whitely, 1934)

779. *Carangoides humerosus* (McCulloch, 1915)
 780. *Carangoides malabaricus* (Bloch & Schneider, 1801)
 781. *Carangoides oblongus* (Cuvier, 1833)
 782. *Carangoides plagiotaenia* Bleeker, 1857
 783. *Carangoides talamparoides* Bleeker, 1852
 784. *Caranx hippos* (Linnaeus, 1766)
 785. *Caranx ignobilis* (Forsskal, 1775)
 786. *Caranx melampygus* Cuvier, 1833
 787. *Caranx sansun* (Forsskal, 1775)
 788. *Caranx sexfasciatus* Quoy & Gaimard, 1825
 789. *Caranx tille* Cuvier, 1833
 790. *Decapterus kurroides*, Bleeker, 1855
 791. *Decapterus macrosoma* Bleeker, 1851
 792. *Decapterus maruadsi* (Temminck & Schlegel, 1843)
 793. *Decapterus russelli* (Ruppell, 1830)
 794. *Elagatis bipinnulata* (Quoy & Gaimard, 1825)
 795. *Gnathanodon speciosus* (Forsskal, 1775)
 796. *Megalaspis cordyla* (Linnaeus, 1758)
 797. *Parastromateus niger* (Bloch, 1795)
 798. *Scomberoides commersonnianus* Lacepede, 1801
 799. *Scomberoides lysan* (Forsskal, 1775)
 800. *Scomberoides tala* (Cuvier, 1832)
 801. *Scomberoides tol* (Cuvier, 1832)
 802. *Selar boops* (Cuvier, 1833)
 803. *Selar crumenophthalmus* (Bloch, 1793)
 804. *Selaroides leptolepis* (Cuvier, 1833)
 805. *Seriola rivoliana* Valenciennes, 1833
 806. *Seriolina nigrofasciata* (Ruppell, 1829)
 807. *Trachinotus baillonii* (Lacepede, 1801)
 808. *Trachinotus blochii* (Lacepede, 1801)
 809. *Ulua mentalis* (Cuvier, 1833)
- Family : **Coryphaenidae**
 (Dolphinfishes)
 810. *Coryphaena hippurus* Linnaeus, 1758
- Family : **Rachycentridae**
 (Cobias)
 811. *Rachycentron canadum* (Linnaeus, 1766)
- Family : **Echeneidae**
 (Remoras, Suckerfishes)
 812. *Echeneis naucrates* Linnaeus, 1758
 813. *Remora remora* (Linnaeus, 1758)
- Family : **Cirrhitidae**
 (Hawkfishes)
 814. *Cirrhitichthys aprinus* (Cuvier, 1829)
 815. *Cirrhitus pinnulatus* (Schneider, 1801)
 816. *Oxycirrhites typus* Bleeker, 1857
 817. *Paracirrhites forsteri* (Schneider, 1801)
- Family : **Pempheridae**
 (Sweepers)
 818. *Pempheris adusta* Bleeker, 1877
 819. *Pempheris molucca* Cuvier, 1829
 820. *Pempheris oualensis* Cuvier, 1831
 821. *Pempheris vanicolensis* Cuvier, 1831
- Family : **Bathyclupeidae**
 (Bathyclupeids)
 822. *Bathyclupea hoskynii* Alcock, 1891
- Family : **Cichlidae**
 (Cichlids)
 823. *Hemichromis* sp.
 824. *Oreochromis mossambica* (Peters, 1852)
- Family : **Pomacentridae**
 (Damsel-fishes)
 825. *Abudefduf bengalensis* (Bloch, 1787)
 826. *Abudefduf notatus* (Day, 1869)
 827. *Abudefduf saxatilis* (Linnaeus, 1758)
 828. *Abudefduf septemfasciatus* (Cuvier, 1830)
 829. *Abudefduf sexfasciatus* Lacepede, 1801
 830. *Abudefduf sordidus* (Forsskal, 1775)
 831. *Abudefduf vaigiensis* (Quoy & Gaimard, 1825)
 832. *Amblyglyphidodon aureus* (Cuvier, 1830)
 833. *Amblyglyphidodon leucogaster* (Bleeker, 1847)
 834. *Amblyglyphidodon ternatensis* (Bleeker, 1853)
 835. *Amblypomacentrus breviceps* (Schlegel & Muller, 1839)
 836. *Amphiprion akallopisos* Bleeker, 1853
 837. *Amphiprion clarkii* (Bennett, 1830)
 838. *Amphiprion ephippium* (Bloch, 1790)
 839. *Amphiprion frenatus* Brevoort, 1856
 840. *Amphiprion ocellaris* Cuvier, 1830
 841. *Amphiprion percula* (Lacepede, 1802)
 842. *Amphiprion perideraion* Bleeker, 1855
 843. *Amphiprion polymnus* (Linnaeus, 1758)
 844. *Amphiprion sebae* Bleeker, 1853
 845. *Cheiloprion labiatus* (Day, 1877)
 846. *Chromis atripectoralis* Welander & Schultz, 1951
 847. *Chromis caerulea* (Cuvier, 1830)
 848. *Chromis dimidiata* (Klunzinger, 1871)
 849. *Chromis margaritifera* Fowler, 1946
 850. *Chromis viridis* (Cuvier, 1830)
 851. *Chrysiptera biocellata* (Quoy & Gaimard, 1825)
 852. *Chrysiptera caeruleolineata* (Allen, 1973)
 853. *Chrysiptera cyanea* (Quoy & Gaimard, 1825)
 854. *Chrysiptera glauca* (Cuvier, 1830)
 855. *Chrysiptera leucopoma* (Cuvier, 1830)
 856. *Chrysiptera unimaculata* (Cuvier, 1830)
 857. *Dascyllus annulatus**
 858. *Dascyllus aruanus* (Linnaeus, 1758)
 859. *Dascyllus carneus* Fischer, 1885
 860. *Dascyllus marginatus* (Ruppell, 1829)
 861. *Dascyllus melanurus* Bleeker, 1854
 862. *Dascyllus reticulatus* (Richardson, 1846)
 863. *Dascyllus trimaculatus* (Ruppell, 1829)
 864. *Dischistodus perspicillatus* (Cuvier, 1830)
 865. *Dischistodus prosopotaenia* (Bleeker, 1852)
 866. *Hemiglyphidodon plagiometopon* (Bleeker, 1854)
 867. *Neoglyphidodon bonang* (Bleeker, 1852)
 868. *Neoglyphidodon meklas* (Cuvier, 1830)
 869. *Neoglyphidodon nigroris* (Cuvier, 1830)
 870. *Neoglyphidodon oxyodon* (Bleeker, 1858)
 871. *Neopomacentrus azysron* (Bleeker, 1877)
 872. *Neopomacentrus taeniurus* (Bleeker, 1856)
 873. *Neopomacentrus violascens* (Bleeker, 1848)
 874. *Plectroglyphidodon dickii* (Lienard, 1839)
 875. *Plectroglyphidodon lacrymatus* (Quoy & Gaimard, 1825)

876. *Pomacentrus amboinensis* Bleeker, 1868
 877. *Pomacentrus bankanensis* Bleeker, 1853
 878. *Pomacentrus littoralis* Cuvier, 1830
 879. *Pomacentrus moluccensis* Bleeker, 1853
 880. *Pomacentrus trilineatus* Cuvier, 1830
 881. *Pomacentrus tripunctatus* Cuvier, 1830
 882. *Premnas biaculeatus* (Bloch, 1790)
 883. *Stegastes albifasciatus* Schlegel & Muller, 1839
 884. *Stegastes lividus* (Bloch & Schneider, 1801)
 885. *Stegastes nigricans* (Lacepede, 1802)

Family : **Labridae**
 (Wrasses)

886. *Anampses caeruleopunctatus* Ruppell, 1829
 887. *Anampses meleagrides* Valenciennes, 1840
 888. *Bodianus axillaris* (Bennett, 1832)
 889. *Bodianus diana* (Lacepede, 1801)
 890. *Bodianus leucosticticus* (Bennett, 1831)
 891. *Bodianus meosthorax* (Bloch & Schneider, 1801)
 892. *Cheilinus chlorourus* (Bloch, 1791)
 893. *Cheilinus fasciatus* (Bloch, 1791)
 894. *Cheilinus trilobatus* Lacepede, 1801
 895. *Cheilinus undulatus* Ruppell, 1835
 896. *Cheilio inermis* (Forsskal, 1775)
 897. *Choerodon anchorago* (Bloch, 1791)
 898. *Choerodon melanostigma* Fowler & Bean, 1928
 899. *Choerodon robustus* (Günther, 1862)
 900. *Coris aygula* Lacepede, 1801
 901. *Coris gaimard* (Quoy & Gaimard, 1824)
 902. *Cymolutes lecluse* (Quoy & Gaimard, 1824)
 903. *Cymolutes praetextatus* (Quoy & Gaimard, 1834)
 904. *Cymolutes torquatus* (Valenciennes, 1840)
 905. *Diproctacanthus xanthurus* (Bleeker, 1856)
 906. *Epibulus insidiator* (Pallas, 1770)
 907. *Gomphosus caeruleus* Lacepede, 1801
 908. *Gomphosus varius* Lacepede, 1801
 909. *Halichoeres argus* (Bloch & Schneider, 1801)
 910. *Halichoeres bicolor* (Bloch & Schneider, 1801)
 911. *Halichoeres chloropterus* (Bloch, 1791)
 912. *Halichoeres chrysus* Randall, 1981
 913. *Halichoeres hortulanus* (Lacepede, 1801)
 914. *Halichoeres leucurus* Walbaum, 1792
 915. *Halichoeres margaritaceus* (Valenciennes, 1839)
 916. *Halichoeres marginatus* Ruppell, 1835
 917. *Halichoeres melanurus* (Bleeker, 1851)
 918. *Halichoeres nebulosus* (Valenciennes, 1839)
 919. *Halichoeres nigrescens* (Bloch & Schneider, 1801)
 920. *Halichoeres scapularis* (Bennett, 1832)
 921. *Halichoeres timorensis* (Bleeker, 1852)
 922. *Hemigymnus fasciatus* (Bloch, 1792)
 923. *Hemigymnus melapterus* (Bloch, 1791)
 924. *Hologymnosus annulatus* (Lacepede, 1801)
 925. *Labrichthys unilineatus* (Guichenot, 1847)
 926. *Labroides bicolor* Fowler & Bean, 1928
 927. *Labroides dimidiatus* (Valenciennes, 1839)
 928. *Macropharyngodon meleagrif* (Valenciennes, 1839)
 929. *Novaculichthys taeniourus* (Lacepede, 1801)
 930. *Oxycheilinus digrammus* (Lacepede, 1801)

931. *Pseudocheilinus hexataenia* (Bleeker, 1857)
 932. *Pseudodax moluccanus* (Valenciennes, 1840)
 933. *Stethojulis interrupta* (Bleeker, 1851)
 934. *Stethojulis strigiventer* (Bennett, 1832)
 935. *Stethojulis trilineata* (Bloch & Schneider, 1801)
 936. *Thalassoma hardwicke* (Bennett, 1830)
 937. *Thalassoma herbraicum* (Lacepede, 1801)
 938. *Thalassoma janseni* (Bleeker, 1856)
 939. *Thalassoma lunare* (Linnaeus, 1758)
 940. *Thalassoma lutescens* (Lay & Bennett, 1839)
 941. *Thalassoma purpureum* (Forsskal, 1775)
 942. *Thalassoma quinquevittatum* (Lay & Bennett, 1839)
 943. *Xyrichtys pavo* Valenciennes, 1840
 944. *Xyrichtys pentadactylus* (Linnaeus, 1758)

Family : **Scaridae**
 (Parrotfishes)

945. *Bolbometopon muricatum* Valenciennes, 1840
 946. *Callyodon dussumieri* (Valenciennes, 1839*)
 947. *Calotomus spinidens* (Quoy & Gaimard, 1824)
 948. *Calotomus viridescens* (Ruppell, 1835)
 949. *Cetoscarus bicolor* (Ruppell, 1829)
 950. *Chlorurus enneacanthus* (Lacepede, 1802)
 951. *Chlorurus gibbus* (Ruppell, 1829)
 952. *Chlorurus japonensis* (Bloch, 1789)
 953. *Chlorurus sordidus* (Forsskal, 1775)
 954. *Chlorurus strongylocephalus* (Bleeker, 1854)
 955. *Hipposcarus harid* (Forsskal, 1775)
 956. *Leptoscarus vaigiensis* (Quoy & Gaimard, 1824)
 957. *Scarus dubius* Bennett, 1828
 958. *Scarus ferrugineus* Valenciennes, 1840
 959. *Scarus frenatus* Lacepede, 1802
 960. *Scarus ghobban* Forsskal, 1775
 961. *Scarus globiceps* Valenciennes, 1840
 962. *Scarus niger* Forsskal, 1775
 963. *Scarus oktodon* (Bleeker, 1861)
 964. *Scarus prasiognathos* Valenciennes, 1840
 965. *Scarus psittacus* Forsskal, 1775
 966. *Scarus rivulatus* Valenciennes, 1840
 967. *Scarus rubroviolaceus* Bleeker, 1847
 968. *Scarus scaber* Valenciennes, 1840
 969. *Scarus taeniurus* Cuvier & Valenciennes, 1839

Family : **Mugilidae**
 (Mulletts)

970. *Cren mugil crenilabis* (Forsskal, 1775)
 971. *Liza carinata* (Valenciennes, 1836)
 972. *Liza macrolepis* (Smith, 1846)
 973. *Liza melinoptera* (Valenciennes, 1836)
 974. *Liza parmata* (Cantor, 1849)
 975. *Liza parsia* (Hamilton-Buchanan, 1822)
 976. *Liza subviridis* (Valenciennes, 1836)
 977. *Liza tade* (Forsskal, 1775)
 978. *Liza vaigiensis* (Quoy & Gaimard, 1825)
 979. *Mugil cephalus* Linnaeus, 1758
 980. *Oedalechilus labiosus* (Valenciennes, 1836)
 981. *Valamugil buehanani* (Bleeker, 1853)
 982. *Valamugil cunnesius* (Valenciennes, 1836)
 983. *Valamugil seheli* (Forsskal)

Family : **Polynemidae**

(Threadfins)

984. *Eleutheronema tetadactylus* (Shaw, 1804)
 985. *Filimanus heptadactylus* (Cuvier, 1829)
 986. *Polyactylus indicus* (Shaw, 1804)
 987. *Polydactylus microstomus* (Bleeker, 1851)
 988. *Polydactylus plebeius* (Broussonet, 1782)
 989. *Polydactylus sexfilis* (Cuvier, 1831)
 990. *Polynemus melanochir* Valenciennes, 1831
 991. *Polydactylus sextarius* Bloch & Schneider, 1801

Family : **Sphyraenidae**

(Barracudas)

992. *Sphyraena acutipinnis* Day, 1876
 993. *Sphyraena barracuda* (Walbaum, 1792)
 994. *Sphyraena chrysotaenia* Klunzinger, 1884
 995. *Sphyraena flavicauda* Ruppell, 1838
 996. *Sphyraena forsteri* Cuvier, 1829
 997. *Sphyraena jello* Cuvier, 1829
 998. *Sphyraena obtusata* Cuvier, 1829
 999. *Sphyraena putnamae* Jordan & Seale, 1905
 1000. *Sphyraena genie* Klunzinger, 1870

Family : **Opistognathidae**

(Jawfishes)

1001. *Opistognathus annulata* (Eibl-Eibesfeldt & Klausewitz, 1961)
 1002. *Oipstognathus nigromarginatus* Ruppell
 1003. *Oipstognathus rosenbergii* Bleeker, 1857

Family : **Chiasmodontidae**

(Swallowers)

1004. *Dysalotus alcocki* MacGilchrist, 1905

Family : **Champsodontidae**

(Gapers)

1005. *Champsodon capensis* Regan, 1908

Family : **Trichonotidae**

(Sanddivers)

1006. *Trichonotus setiger* Bloch & Schneider, 1801

Family : **Percophidae**

(Duckbills)

1007. *Bembrops caudimacula* Steindachner, 1876
 1008. *Bembrops Platyrhynchus* (Alcock, 1894)

Family : **Pinguipedidae**

(Sandperches)

1009. *Parapercis clathrata* Ogilby, 1911
 1010. *Parapercis cylindrica* (Bloch, 1792)
 1011. *Parapercis hexophthalma* (Cuvier, 1829)
 1012. *Parapercis tetracantha* (Lacepede, 1802)
 1013. *Parapercis xanthozona* (Bleeker, 1849)

Family : **Blenniidae**

(Combtooth blennies)

1014. *Alticus kirkii* (Günther, 1868)
 1015. *Alticus saliens* (Lacepede, 1800)
 1016. *Alticus triangulus* Chapman, 1951*
 1017. *Andamia heteroptera* (Bleeker, 1857)
 1018. *Andamia reyi* (Sauvage, 1880)
 1019. *Aspidontus taeniatus taeniatus* Quoy & Gaimard, 1834
 1020. *Aspidontus taeniatus tractus* (Fowler, 1903)
 1021. *Astrosalarias fuscus fuscus* (Ruppell, 1838)

1022. *Blenniella bilitonensis* (Bleeker, 1858)
 1023. *Blenniella cyanostigma* (Bleeker, 1849)
 1024. *Blenniella interrupta* Bleeker, 1857
 1025. *Blenniella leopardus* (Fowler, 1904)
 1026. *Blenniella periophthalmus* (Valenciennes, 1836)
 1027. *Blennius semifasciatus* Ruppell*
 1028. *Cirripectes filamentosus* (Alleyne & Macleay, 1877)
 1029. *Cirripectes perustus* Smith, 1959
 1030. *Cirripectes polyzona* (Bleeker, 1868)
 1031. *Cirripectes stigmaticus* Strasburg & Schultz, 1953
 1032. *Ecsenius bicolor* (Day, 1888)
 1033. *Ecsenius lineatus* Klausewitz, 1962
 1034. *Ecsenius midas* Starck, 1969
 1035. *Enchelyurus flavipes* Peters, 1868
 1036. *Enchelyurus kraussii* (Klunzinger, 1871)
 1037. *Entomacrodus epalzeocheilos* (Bleeker, 1859)
 1038. *Entomacrodus marmoratus* (Bennett, 1828)
 1039. *Entomacrodus striatus* (Valenciennes, 1836)
 1040. *Entomacrodus vermiculatus* (Valenciennes, 1836)
 1041. *Istiblennius andersoni* Day, 1875*
 1042. *Praealticus dayi* Whitely, 1929
 1043. *Istiblennius dussumieri* (Valenciennes, 1836)
 1044. *Istiblennius edentulus* (Bloch & Schneider, 1801)
 1045. *Istiblennius lineatus* (Valenciennes, 1836)
 1046. *Meiacanthus smithi* Klausewitz, 1962
 1047. *Meiacanthus grammistes* (Valenciennes, 1836)
 1048. *Meiacanthus temmincki* (Bleeker, 1851*)
 1049. *Omobranchus elongatus* (Peters, 1855)
 1050. *Omobranchus punctatus* (Valenciennes, 1836)
 1051. *Omobranchus rotundiceps obliquus* (Garman, 1903)
 1052. *Omobranchus zebra* (Bleeker, 1868)
 1053. *Parablennius cyclops* (Ruppell, 1830)
 1054. *Parenchelyurus hepburni* (Snyder, 1908)
 1055. *Petroscirtes bankanensis* Bleeker, 1852*
 1056. *Petroscirtes breviceps* (Valenciennes, 1836)
 1057. *Petroscirtes brevirostris* (Val., 1836)*
 1058. *Petroscirtes kochi* Weber, 1908*
 1059. *Petroscirtes mitratus* Ruppell, 1830
 1060. *Petroscirtes variabilis* Cantor, 1849
 1061. *Plagiotremus rhinorhynchus* (Bleeker, 1852)
 1062. *Plagiotremus tapeinosoma* (Bleeker, 1857)
 1063. *Rhabdoblennius snowi* (Fowler, 1828)
 1064. *Salarias alboguttatus* Kner, 1867
 1065. *Salarias fasciatus* (Bloch, 1786)
 1066. *Salarias frenatus* Cuvier & Val., 1836*
 1067. *Salarias guttatus* Valenciennes, 1836
 1068. *Xiphasia setifer* Swainson, 1839

Family : **Tripterygiidae**

(Threefin blennies)

1069. *Enneapterygius fasciatus* (Weber, 1913)
 1070. *Helcogramma gymnauchen* (Weber, 1909)
 1071. *Helcogramma trigloides* (Bleeker, 1858)

Family : **Callionymidae**

(Dragonets)

1072. *Callionymus enneactis* Bleeker, 1879

1073. *Callionymus filamentosus* Valenciennes, 1837
 1074. *Callionymus japonicus* Houttuyn, 1782
 1075. *Callionymus melanopterus* Bleeker, 1851
 1076. *Eleutherochir opercularis* (Valenciennes, 1837)
 1077. *Synchiropus ocellatus* (Pallas, 1770)
 1078. *Synchiropus splendidus* (Herre, 1927)
 1079. *Synchiropus stellatus* Smith, 1963

Family : **Gobiidae**
 (Gobies)

1080. *Acentrogobius baliurus* (Valenciennes, 1837)
 1081. *Acentrogobius bontii* (Bleeker, 1849)
 1082. *Acentrogobius viridipunctatus* (Valenciennes, 1837)
 1083. *Amblygobius albimaculatus* (Ruppell, 1830)
 1084. *Amblygobius bynoensis* (Richardson, 1844)
 1085. *Amblygobius hectori* (Smith, 1957)
 1086. *Asterropteryx semipunctatus* Ruppell, 1830
 1087. *Awaous grammepomus* (Bleeker, 1849)
 1088. *Awaous guamensis* (Valenciennes, 1842)
 1089. *Awaous melanocephalus* (Bleeker, 1849)
 1090. *Awaous ocellaris* (Broussonet, 1782)
 1091. *Awaous personatus* Bleeker, 1849
 1092. *Bathygobius albopunctatus* Valenciennes, 1837
 1093. *Bathygobius fuscus* (Ruppell, 1830)
 1094. *Boleophthalmus boddarti* (Pallas, 1770)
 1095. *Brachyamblyopus urolepis* (Bleeker, 1852)
 1096. *Callogobius andamanensis* Menon & Chatterjee, 1974
 1097. *Callogobius hasseltii* (Bleeker, 1851)
 1098. *Callogobius trifasciatus* Menon & Chatterjee, 1976
 1099. *Cryptocentrus pavoninoides* (Bleeker, 1849)
 1100. *Ctenogobius grammatogaster* Bleeker, 1875
 1101. *Ctenotrypauchen microcephalus* (Bleeker, 1860)
 1102. *Drombus triangularis* (Weber, 1909)
 1103. *Eviota distigma* Jordan & Seale, 1906
 1104. *Eviota gymnocephalus* Weber, 1913
 1105. *Eviota zonura* Jordan & Seale, 1906
 1106. *Exyrias puntang* (Bleeker, 1851)
 1107. *Glossogobius bicirrhosus* (Weber, 1894)
 1108. *Glossogobius biocellatus* (Valenciennes, 1837)
 1109. *Glossogobius celebius* (Valenciennes, 1837)
 1110. *Glossogobius giuris* (Hamilton-Buchanan, 1822)
 1111. *Gnatholepis calliurus* Jordan & Seale, 1905
 1112. *Gnatholepis cauerensis* (Bleeker, 1853)
 1113. *Gobiodon citrinus* (Ruppell, 1838)
 1114. *Gobiodon histrio* (Valenciennes, 1837)
 1115. *Gobiodon quinquestrigatus* (Valenciennes, 1837)
 1116. *Gobiodon rivulatus* (Ruppell, 1830)
 1117. *Gobiopsis arenaria* (Snyder, 1908)
 1118. *Gobiopsis quinquecincta* (Smith, 1931)
 1119. *Gobiopsis woodsii* Lachner & Mc Kinney, 1978
 1120. *Hemigobius hoevenii* (Bleeker, 1851)
 1121. *Istigobius decoratus* (Herre, 1927)
 1122. *Istigobius goldmanni* (Bleeker, 1852)
 1123. *Istigobius ornatus* (Ruppell, 1830)
 1124. *Mahidolia mystacina* (Valenciennes, 1837)
 1125. *Odontamblyopus rubicundus* (Hamilton-Buchanan, 1822)
 1126. *Oligolepis acutipinnis* (Valenciennes, 1837)
 1127. *Oplopomus caninoides* (Bleeker, 1852)
 1128. *Oplopomus oplopomus* (Valenciennes, 1837)
 1129. *Oxudercus dentatus* Eydoux & Souleyet, 1848
 1130. *Oxyurichthys dasi* Talwar, Chatterjee & Roy, 1982
 1131. *Oxyurichthys ophthalmemus* (Bleeker, 1856-57)
 1132. *Oxyurichthys papuensis* (Valenciennes, 1837)
 1133. *Oxyurichthys talwari* Mehta, Devi & Mehta, 1989
 1134. *Oxyurichthys tentacularis* (Valenciennes, 1837)
 1135. *Papillogobius reichei* (Bleeker, 1853)
 1136. *Parachaeturichthys polynema* (Bleeker, 1853)
 1137. *Paragobiodon echinocephalus* (Ruppell, 1830)
 1138. *Paragobiodon melanosomus* (Bleeker, 1852)
 1139. *Parapocryptes serperaster* (Richardson, 1846)
 1140. *Periophthalmodon septemradiatus* (Hamilton-Buchanan, 1822)
 1141. *Periophthalmodon schlosseri* (Pallas, 1770)
 1142. *Periophthalmus argentilineatus* Valenciennes, 1837
 1143. *Periophthalmus barbarus* (Linnaeus, 1766)
 1144. *Periophthalmus fuscatus* Blyth, 1859*
 1145. *Periophthalmus kalolo* Lesson, 1831
 1146. *Periophthalmus malaccensis* Eggert, 1935
 1147. *Periophthalmus minutus* Eggert, 1935
 1148. *Periophthalmus novemradiatus* (Hamilton-Buchanan, 1822)
 1149. *Pleurosicya bilobatus* (Koumans, 1941)
 1150. *Priolepis cincta* (Regan, 1908)
 1151. *Priolepis eugenius* (Jordan and Evermann, 1902)
 1152. *Priolepis semidoliatus* (Valenciennes, 1837)
 1153. *Pseudapocryptes lanceolatus* (Bloch & Schneider, 1801)
 1154. *Pseudogobius javanicus* (Bleeker, 1856)
 1155. *Pseudogobioptis neglectus* (Koumans, 1932)
 1156. *Raogobius andamanicus* Mukerji, 1935*
 1157. *Redigobius balteatus* (Herre, 1935)
 1158. *Redigobius bikolanus* (Herre)
 1159. *Redigobius roemeri* (Weber, 1911)
 1160. *Scartelaos cantoris* (Day, 1870)
 1161. *Sicyopterus microcephalus* (Bleeker, 1854)
 1162. *Stenogobius gymnopomus* (Bleeker, 1853)
 1163. *Stigmatogobius sadanundio* (Hamilton-Buchanan, 1822)
 1164. *Taenioides anguillaris* (Linnaeus, 1758)
 1165. *Taenioides cirratus* (Blyth, 1860)
 1166. *Trypauchen vagina* (Bloch & Schneider, 1801)
 1167. *Valenciennea sexguttata* (Valenciennes, 1837)
 1168. *Valenciennea strigata* (Broussonet, 1782)
 1169. *Yongeichthys criniger* (Valenciennes, 1837)
 1170. *Yongeichthys nebulosus* (Forsskal, 1775)

Family : **Eleotridae**

(Sleepers)

1171. *Amblyeleotris (Andameleotris) raoi* Herre, 1939*
 1172. *Bostrychus sinensis* Lacepede, 1801
 1173. *Butis amboinensis* (Bleeker, 1853)

1174. *Butis butis* (Hamilton-Buchanan, 1822)
 1175. *Butis gymnopomus* (Bleeker, 1853)
 1176. *Eleotris andamensis* Herre, 1939
 1177. *Eleotris feliceps* Blyth, 1861
 1178. *Eleotris fusca* (Bloch & Schneider, 1801)
 1179. *Eleotris lutea* Day, 1876
 1180. *Hypseleotris guntheri* (Bleeker, 1875)
 1181. *Ophieleotris aporos* (Bleeker, 1854)
 1182. *Ophiocara feliceps* (Blyth, 1861)*
 1183. *Ophiocara porocephala* (Valenciennes, 1837)
 1184. *Oxyeleotris gyrinoides* (Bleeker, 1853)
 1185. *Prionobutis koilomatodon* (Bleeker, 1849)
- Family : **Kraemeriidae**
 (Sandfishes or Sand gobies)
 1186. *Kramerius smithi* Menon & Talwar, 1972
- Family : **Acanthuridae**
 (Surgeonfishes, tangs, unicornfishes)
 1187. *Acanthurus coeruleus* Bloch & Schneider, 1801
 1188. *Acanthurus dussumieri* Valenciennes, 1835
 1189. *Acanthurus japonicus* Schmidt, 1931
 1190. *Acanthurus leucosternon* Bennett, 1833
 1191. *Acanthurus lineatus* (Linnaeus, 1758)
 1192. *Acanthurus mata* (Cuvier, 1829)
 1193. *Acanthurus nigricauda* Dunker & Mohr, 1929
 1194. *Acanthurus nigrofusus* (Forsskal, 1775)
 1195. *Acanthurus olivaceus* Bloch & Schneider, 1801
 1196. *Acanthurus pyroferus* Kittlitz, 1843
 1197. *Acanthurus thompsoni* (Fowler, 1923)
 1198. *Acanthurus triostegus* (Linnaeus, 1758)
 1199. *Acanthurus xanthopterus* Valenciennes, 1835
 1200. *Ctenochaetus striatus* (Quoy & Gaimard, 1825)
 1201. *Ctenochaetus strigosus* (Bennett, 1828)
 1202. *Naso annulatus* (Quoy & Gaimard, 1825)
 1203. *Naso brevirostris* (Valenciennes, 1835)
 1204. *Nasa hexacanthus* (Bleeker, 1855)
 1205. *Naso lituratus* (Forster, 1801)
 1206. *Naso lopezi* Herre, 1927
 1207. *Naso unicornis* (Forsskal, 1775)
 1208. *Naso vlamingi* (Valenciennes, 1835)
 1209. *Paracanthurus hepatus* (Linnaeus, 1766)
 1210. *Zembrasoma scopas* (Cuvier, 1835)
 1211. *Zembrasoma veliferum* (Bloch, 1795)
- Family : **Zanclidae**
 (Moorish idol)
 1212. *Zanclus cornutus* (Linnaeus, 1758)
- Family : **Siganidae**
 (Rabbitfishes)
 1213. *Siganus argenteus* (Quoy & Gaimard, 1825)
 1214. *Siganus canaliculatus* (Park, 1797)
 1215. *Siganus corallinus* (Valenciennes, 1835)
 1216. *Siganus fuscescens* (Houttuyn, 1782)
 1217. *Siganus guttatus* (Bloch, 1787)
 1218. *Siganus javus* (Linnaeus, 1766)
 1219. *Siganus labyrinthodes* (Bleeker, 1853)
 1220. *Siganus magnificus* (Burgess, 1877)
 1221. *Siganus puelloides* Woodland & Randall, 1979
1222. *Siganus spinus* (Linnaeus, 1758)
 1223. *Siganus stellatus* (Forsskal, 1775)
 1224. *Siganus vermiculatus* (Valenciennes, 1835)
 1225. *Siganus virgatus* (Valenciennes, 1835)
 1226. *Siganus vulpinus* (Schlegel & Muller, 1845)
- Family : **Trichiuridae**
 (Ribbonfishes)
 1227. *Lepturacanthus savala* (Cuvier, 1829)
 1228. *Tentoriceps cristatus* (Klunzinger, 1884)
 1229. *Trichiurus lepturus* Linnaeus, 1758
- Family : **Scombridae**
 (Mackerels, tunas, bonitos)
 1230. *Acanthocybium solandri* (Cuvier, 1832)
 1231. *Auxis rochei rochei* (Risso, 1810)
 1232. *Auxis thazard thazard* (Lacepede, 1800)
 1233. *Euthynnus affinis* (Cantor, 1849)
 1234. *Grammatorcynus bicarinatus* (Quoy & Gaimard, 1825)
 1235. *Grammatorcynus bilineatus* (Ruppell, 1836)
 1236. *Gymnosarda unicolor* (Ruppell, 1836)
 1237. *Katsuwonus pelamsi* (Linnaeus, 1758)
 1238. *Rastrelliger brachysoma* (Bleeker, 1851)
 1239. *Rastrelliger faughni* Matsui, 1967
 1240. *Rastrelliger kanagurta* (Cuvier, 1816)
 1241. *Sarda orientalis* (Temminck & Schlegel, 1844)
 1242. *Scomberomorus commerson* (Lacepede, 1800)
 1243. *Scomberomorus guttatus* (Bloch & Schneider, 1801)
 1244. *Thunnus alalunga* (Bonnaterre, 1788)
 1245. *Thunnus albacares* (Bonnaterre, 1788)
 1246. *Thunnus obesus* (Lowe, 1839)
 1247. *Thunnus tonggol* (Bleeker, 1851)
- Family : **Xiphiidae**
 (Swordfish)
 1248. *Xiphias gladius* Linnaeus, 1758
- Family : **Istiophoridae**
 (Billfishes)
 1249. *Istiophorus platypterus* (Shaw, 1792)
 1250. *Makaira indica* (Cuvier, 1832)
 1251. *Makaira mazara* (Jordan & Snyder, 1901)
 1252. *Tetrapturus audax* (Philippi, 1887)
- Family : **Stromateidae**
 (Butterfishes)
 1253. *Pampus argenteus* (Euphrasen, 1788)
 1254. *Pampus chinensis* (Euphrasen, 1788)
- Family : **Nomeidae**
 (Driftshes)
 1255. *Psenes indicus* (Day, 1870)
 1256. *Psenes maculatus* Lutken, 1880
 1257. *Cubiceps squamiceps* (Lloyd, 1909)
- Family : **Centrolophidae**
 (Medusafishes)
 1258. *Psenopsis obscura* Haedrich, 1967
- Family : **Lactariidae**
 (False trevallies)
 1259. *Lactarius lactarius* (Bloch & Schneider, 1801)
- Family : **Toxotidae**
 (Archerfishes)
 1260. *Toxotes chatareus* (Hamilton-Buchanan, 1822)
 1261. *Toxotes jaculatrix* (Pallas, 1766)

Family : **Drepaneidae**

(Sicklefishes)

1262. *Drepane longimana* (Bloch & Schneider, 1801)
1263. *Drepane punctata* (Linnaeus, 1758)

Family : **Pholidichthyidae**

(Convict blenny)

1264. *Pholidichthys leucotaeneia* Bleeker, 1856

Family : **Micropodidae**

1265. *Nemateleotris magnifica* Fowler, 1938
1266. *Parioglossus raoi* (Herre, 1939)
1267. *Pteroeleotris evides* (Jordan & Hubbs, 1925)
1268. *Pteroeleotris hanae* (Jordan & Snyder, 1901)
1269. *Pteroeleotris heteroptera* (Bleeker, 1855)
1270. *Pteroeleotris microlepis* (Bleeker, 1856)
1271. *Pteroeleotris virgo**

Family : **Anabantidae**

(Climbing gouramies)

1272. *Anabas testudineus* (Bloch, 1792)

Family : **Channidae**

(Snakeheads)

1273. *Channa gachus* (Hamilton-Buchanan, 1822)
1274. *Channa orientalis* Bloch & Schneider, 1801
1275. *Channa Punctatus* (Bloch, 1793)
1276. *Channa stewartii* (Playfair, 1867)

Order : PLEURONECTIFORMES

Family : **Psettodidae**

(Psettodids)

1277. *Psettodes erumei* (Bloch & Schneider, 1801)

Family : **Bothidae**

(Lefteye flounders)

1278. *Arnoglossus tapeinosomus* (Bleeker, 1866)
1279. *Bothus mancus* (Broussonet, 1782)
1280. *Bothus myriaster* (Temminck & Schlegel, 1846)
1281. *Bothus pantherinus* (Ruppell, 1830)
1282. *Engyprosopon grandisquama* (Temminck & Schlegel, 1846)
1283. *Engyprosopon natalensis* Regan, 1920
1284. *Grammatobothus polyophthalmus* (Bleeker, 1866)

Family : **Paralichthyidae**

(Longtooth Flounders)

1285. *Pseudorhombus arsius* (Hamilton-Buchanan, 1822)
1286. *Pseudorhombus duplioniocellatus* Regan, 1905
1287. *Pseudorhombus elevatus* Ogilby, 1912

Family : **Pleuronectidae**

(Righteye flounders)

1288. *Peltorhamphus novaezelandiae* Gunther, 1862
1289. *Poecilopsetta colorata* Gunther, 1880
1290. *Poecilopsetta praelonga* Alcock, 1894

Family : **Samaridae**

1291. *Samaris cristatus* Gray, 1831

Family : **Cynoglossidae**

(Tonguefishes)

1292. *Cynoglossus arel* (Bloch & Schneider, 1801)
1293. *Cynoglossus cynoglossus* (Hamilton-Buchanan)
1294. *Cynoglossus kopsii* (Bleeker, 1851)

1295. *Cynoglossus lida* (Bleeker, 1851)

1296. *Cynoglossus lingua* Hamilton-Buchanan, 1822

1297. *Paraplagusia bilineata* (Bloch, 1787)

1298. *Symphurus septemstriatus* (Alcock, 1891)

1299. *Symphurus woodmasoni* (Alcock, 1890)

Family : **Soleidae**

(Soles)

1300. *Aesopia cornuta* Kaup, 1858
1301. *Brachirus orientalis* (Bloch & Schneider, 1801)
1302. *Heteromycteris oculus* (Alcock, 1889)
1303. *Pardachirus marmoratus* (Lacepede, 1802)
1304. *Pardachirus pavoninus* (Lacepede, 1802)
1305. *Solea bleekeri* Boulenger, 1898
1306. *Soleichthys heterorhinos* (Bleeker, 1856)
1307. *Zebrias quagga* (Kaup, 1858)

Order : TETRADONTIFORMES

Family : **Triacanthodidae**

(Spikefishes)

1308. *Halimochirus centriscoides* Alcock, 1899
1309. *Macrorhamphosodes platycheilus* Fowler, 1934
1310. *Mephisto faserbrunneri* Tyler, 1966
1311. *Tydemania navigatoris* Weber, 1913

Family : **Triacanthidae**

(Triplespines)

1312. *Pseudotriacanthus strigilifer* (Cantor, 1849)
1313. *Triacanthus biaculeatus* (Bloch, 1786)

Family : **Monacanthidae**

(Filefishes)

1314. *Aluterus monoceros* (Linnaeus, 1758)
1315. *Aluterus scriptus* (Osbeck, 1765)
1316. *Amnases scopas* (Cuvier, 1829)
1317. *Anacanthus barbatus* Gray, 1830
1318. *Cantherhines pardalis* (Ruppell, 1837)
1319. *Monacanthus chinensis* (Osbeck, 1765)
1320. *Oxymonacanthus longirostris* (Bloch & Schneider, 1801)
1321. *Paramonacanthus choirocephalus* (Bleeker, 1852)
1322. *Paramonacanthus japonicus* (Tilesius, 1809)
1323. *Paramonacanthus nematophorus* (Gunther, 1870)
1324. *Paramonacanthus pusillus* (Ruppell, 1837)
1325. *Pervagor melanocephalus* (Bleeker, 1853)

Family : **Balistidae**

(Triggerfishes)

1326. *Abalistes stellaris* (Bloch & Schneider, 1801)
1327. *Abalistes stellatus* (Lacepede, 1798)
1328. *Balistapus undulatus* (Park, 1797)
1329. *Balistoides conspicillum* (Bloch & Schneider, 1801)
1330. *Balistoides iridescens* (Bloch & Schneider, 1801)
1331. *Canthidermis maculatus* (Bloch, 1786)
1332. *Melichthys indicus* Randall & Klauswitz, 1973
1333. *Melichthys vidua* (Solander, 1844)
1334. *Melichthys niger* (Bloch, 1786)
1335. *Odonus niger* (Ruppell, 1836)
1336. *Pseudobalistes flavimarginatus* (Rüppell, 1829)

1337. *Pseudobalistes fuscus* (Bloch & Schneider, 1801)
 1338. *Rhinecanthus aculeatus* (Linnaeus, 1758)
 1339. *Rhinecanthus rectangulus* (Bloch & Schneider, 1801)
 1340. *Rhinecanthus verrucosus* (Linnaeus, 1758)
 1341. *Sufflamen bursa* (Bloch & Schneider, 1801)
 1342. *Sufflamen chrysopterus* (Bloch & Schneider, 1801)
 1343. *Sufflamen fraenatus* (Latreille, 1804)
- Family : **Ostraciidae**
 (Boxfishes, and trunkfishes)
 1344. *Lactoria cornuta* (Linnaeus, 1758)
 1345. *Ostracion cubicus* Linnaeus, 1758
 1346. *Ostrocion meleagris* Shaw, 1796
 1347. *Rhynchostracion nasus* (Bloch, 1785)
 1348. *Tetrosomus gibbosus* (Linnaeus, 1758)
- Family : **Tetraodontidae**
 (Puffers)
 1349. *Arothron diadematus* (Ruppell, 1829)
 1350. *Arothron hispidus* (Linnaeus, 1758)
 1351. *Arothron immaculatus* (Bloch & Schneider, 1801)
 1352. *Arothron mappa* (Lesson, 1831)
 1353. *Arothron nigropunctatus* (Bloch & Schneider, 1801)
 1354. *Arothron reticularis* (Bloch & Schneider, 1801)
 1355. *Arothron stellatus* (Bloch & Schneider, 1801)
 1356. *Canthigaster bennetti* (Bloch, 1854)
 1357. *Canthigaster investigatoris* (Annandale & Jenkins, 1910)
 1358. *Canthigaster papua* (Bleeker, 1848)
 1359. *Canthigaster solandri* (Richardson, 1845)
 1360. *Canthigaster valentini* (Bleeker, 1853)
 1361. *Chelonodon patoca* (Hamilton-Buchanan, 1822)
 1362. *Lagocephalus guentheri* Miranda-Ribeiro, 1915
 1363. *Lagocephalus inermis* (Schlegel, 1850)
 1364. *Lagocephalus lunaris* (Bloch & Schneider, 1801)
 1365. *Lagocephalus scleratus* (Forster, 1788)
 1366. *Tetrodon fluviatilis* Hamilton-Buchanan. 1822
 1367. *Tetrodon palembangensis* Bleeker, 1852
 1368. *Torquigener hypselogeneion* (Bleeker, 1852)
- Family : **Diodontidae**
 (Porcupine fishes)
 1369. *Diodon holocanthus* Linnaeus, 1758
 1370. *Diodon hystrix* Linnaeus, 1758
 1371. *Diodon liturosus* Shaw, 1804
- References**
- Blyth E. 1846. Notes on the fauna of Nicobar Islands. J. Asiat. Soc. Bengal 15 : 367—379.
 - Day F. 1870. On the fishes of the Andaman Islands. Proc. Zool. Soc., London pp. 677—705.
 - Annandale N. and S. L. Hora. 1925. The freshwater fish from the Andaman Islands. Rec. Indian Mus. 27 : 33—41.
 - Hora S. L. 1925. In N. Annandale and S. L. Hora. The freshwater fish from Andaman Islands. Rec. Indian Mus. 27 : 33—42.
 - Duncker G. 1925. Description of a new species *Hippocampus* from Andamans, Rec. Indian Mus. 27 : 475—476.
 - Mukerjii D. D. 1935. Notes on some rare and interesting fishes from the Andaman Islands, with description of two new freshwater gobies Rec. Indian Mus. 37 : 250—279.
 - Herre A. W. C. T. 1939. On a collection of littoral and freshwater fishes from the Andaman Islands. Rec. Indian Mus. 61 : 327—372.
 - Herre A. W. C. T. 1940. On a collection of littoral and freshwater fishes the Andaman Islands. Supplement. Rec. Indian Mus. 41 : 1—8.
 - Koumans F. P. 1940. On a collection of gobioid fishes from Andamans. Rec. Indian Mus. 42 : 15—18.
 - Koumans F. P. 1953. The fishes of the Indo-Australian Archipelago. vol 10 E. J. Brill, Leiden. pp. 423.
 - Misra K. S. 1950. On a new species of Scyliorhinid fish from Andaman Sea, Bay of Bengal. J. Zool. Soc. India 2 : 87—90.
 - Weber M. and L. F. De Beaufort. 1913—1936. Fishes of the Indo-Australian Archipelago, E. J. Brill, Leiden, 1913 : Vol. 2, 404 pp, 1916 : Vol. 3, pp. 455; 1922 Vol. 4, pp. 410; 1929 : Vol. 5, pp. 458; 1931 : Vol. 6, pp. 338; 1936 : Vol. 7, pp. 607.
 - De Beaufort L. F. 1940. The fishes of Indo-Australian Archipelago, Vol. 8, E. G. Brill, Leiden, pp. 508.
 - De Beaufort L. F. and W. M. Chapman. 1951. The fishes of Indo-Australian Archipelago, Vol. 9. E. G. Brill, Leiden. pp. 484.
 - Herre A. W. C. T. 1941. A list of the fishes known from the Andaman Islands. Mem. Indian Mus. 13 : 331—403.
 - Kalausowitz W. and I. Eibl-Eibesfeld. 1959. Neue Rohreanaale vonden Maldiven and Nikobaren (Pisces Apodes, Heterocongridae). Senck. Biol. 40 : 135—153.
 - Kalausowitz W. 1963. *Centropyge eidli* n.sp. vonden Nicobaren (Pisces : Percoidea, Pomacanthidae). Senck. Biol. 43 : 177—181.
 - Jones S., E. G. Silas and E. Dawson. 1960. New records of Scombroid fishes from the Andaman and Nicobar waters. J. Mar. Biol. Assoc. India 2 : 136—137.
 - Silas E. G. and E. Dawson. 1961. *Heteropneustes fossilis* (Bloch), a new addition to the freshwater fish fauna of the Andaman Islands. J. Bombay Nat. Hist. Soc. 58 : 287—289.
 - Silas E. G. and H. S. Toor. 1961. On some new records of pig-face breams (family Lethrinidae : Pisces) from the Andaman Sea. J. Mar. Biol. Assoc. India. 3 : 208—214.
 - Yazdani G. M. 1963. On new record of blennioid fish, *Pteroscirtes kochi* M. Weber from Andamans. Curr. Sci. 32 : 413.
 - Luther G. 1972. *Anyperodon leucogramicus* (Cuv. & Val.) (Pisces : Serranidae), a new record from the Andaman Sea. Indian J. Fish. 19 : 189—190.
 - Rangarajan K. 1969. *Aulocephalus temmincki* Bleeker

- (Pisces : Serranidae) a new record from the Andaman Sea. J. Mar. Biol. Assoc. Indian 9 : 442—444.
24. Rangarajan K. 1972. On the occurrence of *Malacanthus hoedtii* Bleeker (Fam. Malacanthidae) in the Andaman Sea. Indian. J. Fish. 19 : 183—185.
 25. Menon A. G. K. and K. V. Rama Rao. 1972. New records of shallow water brotulid fishes, *Brotula multibarata* Schlegel and *Dinematichthys ilucoeoides* Bleeker from the Andaman Sea. Curr. Sci. 41 : 24—25.
 26. Menon A. G. K. and P. K. Talwar. 1972. Fishes of the Great Nicobar Expedition. 19966, with a description of a new gobioid fish of the family Kraemeriidae. Rec. zool. Surv. India. 66 : 35—62.
 27. Menon A. G. K. and P. K. Talwar. 1973. On a new species of the genus *Gaterin* Forsskal, 1775 (Pisces : Gaterinidae) from the Andaman Islands. J. Bombay Nat. Hist. Soc. 69 : 658—660.
 28. Sen T. K. 1975. Further light on freshwater fish fauna of Andaman Islands. Sea Food Exp. J. 7 : 31—33.
 29. Menon A. G. K. and T. K. Chatterjee. 1974. *Callogobius andamanensis*, a new gobioid fish from Curlew Island, Middle Andamans, with a key to species of *Callogobius* of the seas of the India and Malaya Archipelago. Curr. Sci. 43 : 126—128.
 30. Menon A. G. K. and T. K. Chatterjee. 1976. *Callogobius trifasciatus*, a new gobioid fish from Mayabunder, Middle Andaman Island. Mahasagar 7 : 205—207.
 31. Eschmeyer W. N. and M. Dor. 1978. *Cocotropus steinitzi*, a new species of fish family Aploctidae (Pisces, Scorpaeniformes) from the Red Sea and Andaman Islands. Israel J. Zool. 27 : 165—168.
 32. Talwar P. K., T. K. Chatterjee and M. K. D. Roy. 1982. *Oxyurichthys dasi*, a new gobioid (Pisces : Gobiidae) from the Andaman Islands. Rec. zool. Surv. India 79 : 483—487.
 33. Mehta R. K. Devi and H. S. Mehta. 1989. *Oxyurichthys talwari*, a new species of gobioid fish from Andaman Islands. J. Andaman Sci. Assoc. 5 : 23—26.
 34. Mehta H. S. and Kamla Devi. 1990. Four new records of Gobioid fishes from Andaman and Nicobar Islands. J. Andaman Sci. Assoc. 6 : 66—68.
 35. Mehta H. S., P. T. Rajan and Kamla Devi. 1990. Five new records of fishes from Bay Islands. J. Andaman Sci. Assoc. 6 : 193—195.
 36. Talwar P. K. 1990. Fishes of Andaman and Nicobar Islands : A synoptic analysis. J. Andaman Sci. Assoc. 6 : 71—102.
 37. Kamla Devi. 1991. Supplementary list to the fishes of Bay Islands. J. Andaman Sci. Assoc. 7 : 101—103.
 38. Kamla Devi and P. T. Rajan. 1991. Further new records of fishes from Andaman Islands. J. Andaman Sci. Assoc. 7 : 97—100.
 39. Misra S. S. and S. Krishnan. 1992. Further new records of fishes from Andaman Islands. J. Andaman Sci. Assoc. 8 : 175—177.
 40. Krishnan S. and S. S. Misra. 1992. New records of fishes from Andaman Islands. Andaman Sci. Assoc. 8 : 82—84.
 41. Rao D. V., Kamla Devi and P. T. Rajan. 1992. Some new records of wrasses (Family : Labridae) from A & N Islands. J. Andaman Sci. Assoc. 8 : 43—46.
 42. Rao D. V., Kamla Devi and P. T. Rajan. 1992. New records of Tetraodontiform fishes from Andaman and Nicobar Islands. J. Andaman Sci. Assoc. 8 : 115—120.
 43. Dhandapani P. and S. S. Misra. 1993. New records of marine fishes from Great Nicobar. J. Andaman Sci. Assoc. 9 : 58—62.
 44. Rajan P. T., D. V. Rao and Kamla Devi. 1992. New records of butterfly fishes from Andaman and Nicobar Islands. J. Andaman Sci. Assoc. 8 : 172—174.
 45. Rajan P. T., D. V. Rao and Kamla Devi. 1992. New records of butterfly fishes from Andaman and Nicobar Islands. J. Andaman Sci. Assoc. 8 : 172—174.
 46. Rajan P. T., D. V. Rao, Kamla Devi and S. Dey. 1993. New records of rare fishes from Andaman Islands. J. Andaman Sci. Assoc. 9 : 103—106.
 47. Rajan P. T. 2001. New records of jawfish *Opisthognathus nigromarginatus* Ruppell (Perciformes : Opisthognathidae) from Andaman and Nicobar Islands. Geobios p. 171—172.
 48. Rajan P. T. 2002. A field guide to Grouper and Snapper -fishes of Andaman and Nicobar Islands. Zoological Survey of India, Kolkata, pp. 103.
 49. Rajan P. T. 2003. A field guide to marine food fishes of Andaman and Nicobar Islands. Zool. Surv. India, Kolkata, pp. 260.
 50. Kamla Devi, D. V. Rao and P. T. Rajan. 1993. Additions to the Gobiodo fauna of Andaman Islands. Environ. Ecol. 11 : 812—815.
 51. Kamla Devi, D. V. Rao and P. T. Rajan. 1995. New records of wrasses (Labridae) and parrotfishes from Andaman Islands. J. Andaman Sci. Assoc. 11 : 76—78.
 52. Kamla Devi and D. V. Rao. 1997. New records of Reef Fishes from Andaman waters. J. Andaman Sci. Assoc. 13 : 104—106.
 53. Kamla Devi and D. V. Rao. 2003. A field guide to the fishes of Acanthuridae (Surgeonfishes) and Siganidae (Rabbitfishes) of Andaman & Nicobar Islands. Zoological Survey of India, Kolkata, pp. 42.
 54. Kamla Devi and D. V. Rao. 2003. Poisonous and venomous fishes of Andaman Islands, Bay of Bengal. Rec. Zool. Surv. India, Occ. Paper No. 211 : 1—71.
 55. Kamla Devi and D. V. Rao. 2007. Mangrove ichthyofauna of fishes of Andaman and Nicobar Islands, Bay of Bengal. Rec. Zool. Surv. India Occ. Paper No. 265 : 1—228.
 56. Rao D. V., P. T. Rajan and Kamla Devi. 1992. New records of groupers (Family : Serranidae) and cardinal fishes (Family : Apogonidae) from Andaman and Nicobar Islands. J. Andaman Sci. Assoc. 8 : 47—52.
 57. Rao D. V., Kamla Devi and P. T. Rajan. 1994. Additions to the Ichthyofauna of Bay Islands. J. Andaman Sci. Assoc. 10 : 28—31.
 58. Rao D. V., Kamla Devi and P. T. Rajan. 1993a. Additions to the fish fauna of Andaman and Nicobar Islands. Environ. Ecol. 11 : 882—887.
 59. Rao D. V., Kamla Devi and P. T. Rajan. 1993. Further new records of fishes from Bay Islands. J. Andaman Sci. Assoc. 9 : 52—57.

60. Rao D. V., Kamla Devi and P. T. Rajan. 1997. New records of Fishes from Andaman and Nicobar Islands. *Environ. Ecol.* 15 : 107—112.
61. Rao D. V., Kamla Devi and P. T. Rajan. 2000. An account of Ichthyofauna of Andaman and Nicobar Islands, Bay of Bengal. *Rec. Zool. Surv. India Occ. Paper No. 178*, pp. 434.
62. Rao D. V. 1995. Studies on coral reef fishes of Andaman Islands, Bay of Bengal. Doctoral thesis. Andhra Univ., Visakhapatnam, India.
63. Rao D. V. 2003. Guide to Reef fishes of Andaman and Nicobar Islands. *Zool. Surv. India*, Kolkata. pp. 555.
64. Rao D. V. and Kamla Devi. 1995. Notes on Rabbitfishes (Family : Siganidae) of Andaman and Nicobar Islands. *J. Andaman Sci. Assoc.* 12 : 84—88.
65. Rao D. V. and Kamla Devi. 1997. Emperor Fishes (Family : Lethrinidae) of Andaman and Nicobar Islands. *Environ. Ecol.* 15 : 899—903.
66. Rao D. V. and Kamla Devi. 1997b. Snappers (Family : Lutjanidae) of Andaman and Nicobar Islands. *Environ. Ecol.* 15 : 924—931.
67. Rao D. V. and Kamla Devi. 1998. Fusilier fishes (Family : Caesionidae) of Andaman and Nicobar Islands., *Environ. Ecol.* 16 : 760—771.
68. Rao D. V. and Kamla Devi. 2004. A pictorial guide to Butterfly and Anemonefishes of Andaman & Nicobar Islands. *Zool. Surv. India*, Kolkata, pp. 78.
69. Soundararajan R. and S. Dam Roy. 2004. Distributional records and biological notes on two deep-sea sharks, *Centrophorus acus* Garman and *Squalus megalops* (Macleay), from Andaman waters. *J. Mar. Boil. Assoc. India.* 64 : 178—184.
70. Rema Devi K., Alex Eapen and M. K. Das. 2005. On a report of *Redigobius bikolanus* (Herre) (Pisces : Gobiidae) from India. *Rec. Zool. Surv. India* 104 : 163—166.
71. Rajaram R., M. Srinivasan, S. Ajmal Khan, L. Kannan, D. V. Rao and Kamla Devi. 2007. New records of two eel fishes from Great Nicobar Island, Bay Of Bengal., *J. Bimbay Nat. Hist. Soc.* 104 : 228—229.